



US00D427953S

United States Patent [19]
Murata

[11] **Patent Number: Des. 427,953**
[45] **Date of Patent: ** Jul. 11, 2000**

- [54] **AUTOMOBILE TIRE**
- [75] Inventor: **Takehiko Murata**, Izumi-Ohtsu, Japan
- [73] Assignee: **The Ohtsu Tire & Rubber Co., Ltd.**,
Osaka, Japan
- [**] Term: **14 Years**
- [21] Appl. No.: **29/110,069**
- [22] Filed: **Aug. 30, 1999**
- [51] **LOC (7) Cl.** **12-15**
- [52] **U.S. Cl.** **D12/147; D12/143**
- [58] **Field of Search** **D12/134-152;**
152/209.1, 209.8, 209.9, 209.11, 209.13,
209.16, 209.28, 900, 901

- 1010224 5/1998 Japan .
- 1010241 5/1998 Japan .
- 1024863 11/1998 Japan .
- 1033619 3/1999 Japan .

OTHER PUBLICATIONS

Nitto NT-450 Tire, 1998 Tread Design Guide, p. 55. 2/1.
Bridgestone Potenza Illustration, Tire Review Magazine,
Jul. 1998, p. 35.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Christensen O'Connor Johnson
Kindness PLLC

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of an automobile tire
showing my new design, it being understood that the tread
design is repeated uniformly throughout the circumference
of the tire;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side view thereof; and,

FIG. 6 is an enlarged fragmentary front elevational view
thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 366,020 1/1996 Himuro et al. .
- D. 387,023 12/1997 Sato et al. .
- D. 389,791 1/1998 Himuro .
- D. 397,650 9/1998 Himuro D12/147
- D. 403,623 1/1999 Haas et al. D12/136
- D. 405,742 2/1999 Haas et al. D12/151
- D. 410,601 6/1999 Murata et al. .

FOREIGN PATENT DOCUMENTS

- M 94 00 979 8/1994 Germany .

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

