



US00D427955S

United States Patent [19]

Sacco et al.

[11] Patent Number: Des. 427,955

[45] Date of Patent: ** Jul. 11, 2000

[54] VEHICLE BUMPER CONFIGURATION

[75] Inventors: Bruno Sacco, Sindelfingen; Peter Pfeiffer, Boeblingen, both of Germany

[73] Assignee: DaimlerChrysler AG, Germany

[**] Term: 14 Years

[21] Appl. No.: 29/106,309

[22] Filed: Jun. 15, 1999

[30] Foreign Application Priority Data

Dec. 15, 1998 [DE] Germany 4 98 12 331

[51] LOC (7) Cl. 12-16

[52] U.S. Cl. D12/169

[58] Field of Search D12/169, 196;
293/102, 113, 115, 117; 296/180.1, 180.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 327,242 6/1992 Falck et al. D12/169
D. 374,201 10/1996 Nagashina D12/169
D. 393,440 4/1998 Pfeiffer et al. D12/169

Primary Examiner—Melody N. Brown
Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, P.L.L.C.


[57] CLAIM

The ornamental design for a vehicle bumper configuration, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle bumper configuration according to our novel design;
FIG. 2 is a front view of the vehicle bumper configuration according to our novel design;
FIG. 3 is a left side view of the vehicle bumper configuration according to our novel design;
FIG. 4 is a right side view of the vehicle bumper configuration according to our novel design;
FIG. 5 is a top view of the vehicle bumper configuration according to our novel design; and,
FIG. 6 is a bottom view of the vehicle bumper configuration according to our novel design.
The broken lines shown depict environment and are not part of our claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4

