



US00D427955S

United States Patent [19]

Sacco et al.

[11] Patent Number: **Des. 427,955**

[45] Date of Patent: **** Jul. 11, 2000**

[54] **VEHICLE BUMPER CONFIGURATION**

[75] Inventors: **Bruno Sacco**, Sindelfingen; **Peter Pfeiffer**, Boeblingen, both of Germany

[73] Assignee: **DaimlerChrysler AG**, Germany

[**] Term: **14 Years**

[21] Appl. No.: **29/106,309**

[22] Filed: **Jun. 15, 1999**

[30] Foreign Application Priority Data

Dec. 15, 1998 [DE] Germany 4 98 12 331

[51] **LOC (7) Cl.** **12-16**

[52] **U.S. Cl.** **D12/169**

[58] **Field of Search** D12/169, 196; 293/102, 113, 115, 117; 296/180.1, 180.2

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 327,242 6/1992 Falck et al. D12/169
- D. 374,201 10/1996 Nagashina D12/169
- D. 393,440 4/1998 Pfeiffer et al. D12/169

Primary Examiner—Melody N. Brown
Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, P.L.L.C.


[57] CLAIM

The ornamental design for a vehicle bumper configuration, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle bumper configuration according to our novel design;
 FIG. 2 is a front view of the vehicle bumper configuration according to our novel design;
 FIG. 3 is a left side view of the vehicle bumper configuration according to our novel design;
 FIG. 4 is a right side view of the vehicle bumper configuration according to our novel design;
 FIG. 5 is a top view of the vehicle bumper configuration according to our novel design; and,
 FIG. 6 is a bottom view of the vehicle bumper configuration according to our novel design.
 The broken lines shown depict environment and are not part of our claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6