



US00D428004S

United States Patent [19] Colvin

[11] **Patent Number: Des. 428,004**
[45] **Date of Patent: ** *Jul. 11, 2000**

[54] **ELECTRONIC DEVICE**

[75] Inventor: **David S. Colvin**, 3786 Ranya Dr.,
Commerce Township, Mich. 48232
[73] Assignee: **David S. Colvin**, Commerce Township,
Mich.
[*] Notice: This patent is subject to a terminal dis-
claimer.
[**] Term: **14 Years**

[21] Appl. No.: **29/106,783**

[22] Filed: **Jun. 22, 1999**

[51] **LOC (7) Cl.** **14-02**

[52] **U.S. Cl.** **D14/345**

[58] **Field of Search** D14/341, 342,
D14/345; D18/2, 7; D19/26, 52, 59, 60;
345/173, 179; 361/683; 434/201

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 326,446	5/1992	Wong	D14/100
D. 378,686	4/1997	Proctor et al.	D19/60
D. 385,533	10/1997	Adams	D14/106
D. 391,987	3/1998	Jambhekar et al.	D19/26

Primary Examiner—Freda Nunn
Attorney, Agent, or Firm—Brooks & Kushman P.C.

[57] **CLAIM**


The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the electronic device of my new design shown in a partially open position;
FIG. 2 is a bottom plan view of the electronic device of FIG. 1 shown in a fully open position;
FIG. 3 is a top plan view of the electronic device of the present invention shown in a fully open position;

FIG. 4 is a front elevational view of the electronic device of FIG. 1 shown in a fully open position;
FIG. 5 is a rear elevational view of the electronic device of FIG. 1 shown inverted and in a fully open position;
FIG. 6 is a right-side elevational view of the electronic device of FIG. 1 shown in a fully closed position;
FIG. 7 is a left-side elevational view of the electronic device of FIG. 1 shown inverted and in a fully closed position;
FIG. 8 is a perspective view of a first alternative embodiment of the electronic device of my new design;
FIG. 9 is a bottom plan view of the electronic device of FIG. 1 shown in a fully open position;
FIG. 10 is a top plan view of the electronic device of the present invention shown in a fully open position;
FIG. 11 is a front elevational view of the electronic device of FIG. 8 shown in a fully open position;
FIG. 12 is a rear elevational view of the electronic device of FIG. 8 shown inverted and in a fully open position;
FIG. 13 is a right-side elevational view of the electronic device of FIG. 8 shown in a fully closed position;
FIG. 14 is a left-side elevational view of the electronic device of FIG. 8 shown inverted and in a fully closed position;
FIG. 15 is a second alternative embodiment of the electronic device of my new design;
FIG. 16 is a bottom plan view of the electronic device of FIG. 15 shown in a fully open position;
FIG. 17 is a top plan view of the electronic device of the present invention shown in a fully open position;
FIG. 18 is a front elevational view of the electronic device of FIG. 15 shown in a fully open position;
FIG. 19 is a rear elevational view of the electronic device of FIG. 15 shown inverted and in a fully open position;
FIG. 20 is a right-side elevational view of the electronic device of FIG. 15 shown in a fully closed position; and,
FIG. 21 is a left-side elevational view of the electronic device of FIG. 15 shown inverted and in a fully closed position.
The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7




Fig. 8




Fig. 9




Fig. 10



Fig. 11




Fig. 12



Fig. 13



Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21