

US00D428170S

United States Patent [19] Hoffman

[11] **Patent Number:** Des. 428,170
[45] **Date of Patent:** ** Jul. 11, 2000

[54] **HOUSING FOR A HIGH INTENSITY LIGHT SOURCE**

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—David B. Patchett

[75] Inventor: **Joseph A. Hoffman**, Minneapolis, Minn.

[57] **CLAIM**

The ornamental design for a housing for a high intensity light source, as shown and described.

[73] Assignee: **3M Innovative Properties Company**, St. Paul, Minn.

DESCRIPTION

[**] Term: **14 Years**

[21] Appl. No.: **29/086,534**

[22] Filed: **Apr. 15, 1998**

[51] **LOC (7) Cl.** **26-05**

[52] **U.S. Cl.** **D26/27; D26/46**

[58] **Field of Search** D26/37–50; 362/86, 362/87, 183–208, 287, 551, 552, 556, 557, 558

FIG. 1 is a view in perspective of a housing for a high intensity light source;

FIG. 2 is a side plan view of the housing for a high intensity light source of FIG. 1;

FIG. 3 is a top view of the housing for a high intensity light source of FIG. 1;

FIG. 4 is a bottom plan view of the housing for a high intensity light source of FIG. 1;

FIG. 5 is an end view of the housing for a high intensity light source of FIG. 1;

FIG. 6 is an end view of the housing for a high intensity light source of FIG. 1; and,

FIG. 7 is a view in perspective of a housing for a high intensity light source of FIG. 1 with an exemplary cover shown in phantom.

The broken lines are shown for illustrative purposes only and form no part of the claimed design.

[56] References Cited


U.S. PATENT DOCUMENTS

D. 279,505	7/1985	Stadnik		D26/27
D. 283,924	5/1986	Yau		D26/49
4,786,127	11/1988	Molnar		362/551
5,257,340	10/1993	Kaplan et al.		362/551
5,539,624	7/1996	Dougherty		362/551

FOREIGN PATENT DOCUMENTS

196 40 325
A1 3/1998 Germany .

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7