



US00D428175S

United States Patent [19]

Lynch et al.

[11] Patent Number: Des. 428,175

[45] Date of Patent: ** Jul. 11, 2000

[54] FLASHLIGHT

[75] Inventors: Peter F. Lynch; Scott W. Osiecki, both of Skaneateles; Timothy R. Fitch, Syracuse, all of N.Y.; David R. Dalton, North Turrumurra, Australia

[73] Assignee: Eveready Battery Company, Inc., St. Louis, Mo.

[**] Term: 14 Years

[21] Appl. No.: 29/107,332

[22] Filed: Jul. 1, 1999

[51] LOC (7) Cl. 26-02

[52] U.S. Cl. D26/44

[58] Field of Search D26/37-50; 362/157, 362/158, 183-208

[56] References Cited

U.S. PATENT DOCUMENTS

D. 332,320	1/1993	Gammache .	
D. 375,570	11/1996	Hayakawa et al.	D26/44
D. 375,811	11/1996	Hon .	
D. 405,552	2/1999	Howard et al.	D26/44
D. 406,372	3/1999	Matthes et al. .	
D. 409,320	5/1999	Yuen	D26/44
D. 410,557	6/1999	Petterson et al.	D26/44
4,422,130	12/1983	Shigeo .	
4,428,033	1/1984	McBride .	
4,447,863	5/1984	Fenne .	
4,459,646	7/1984	Drane .	
4,533,982	8/1985	Kozar .	
4,654,764	3/1987	Hsiao .	
4,777,572	10/1988	Ambasz .	
5,012,394	4/1991	Woodward .	
5,043,854	8/1991	Gammache .	
5,097,399	3/1992	Gammache .	
5,161,095	11/1992	Gammache .	
5,278,739	1/1994	Gammache .	
5,357,411	10/1994	Menke et al. .	

5,410,457	4/1995	Parker .
5,530,633	6/1996	Yuen .
5,541,822	7/1996	Bamber .
5,558,430	9/1996	Booty, Jr. .
5,605,394	2/1997	Chen .
5,684,452	11/1997	Wang .
5,853,241	12/1998	Sharrah et al. .
5,871,272	2/1999	Sharrah et al. .

FOREIGN PATENT DOCUMENTS

0036450	3/1984	European Pat. Off. .
3829337	3/1990	Germany .
29818529	2/1999	Germany .
10228801	8/1998	Japan .
2238861	6/1991	United Kingdom .
9325408	12/1993	WIPO .
9714912	4/1997	WIPO .

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Robert W. Welsh

[57] CLAIM

The ornamental design for flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the rear, top, and a first side of the flashlight of the present invention with the broken line showing for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a perspective view showing a second side of the flashlight of the present invention;


FIG. 3 is a perspective view showing the top of the flashlight of the present invention;

FIG. 4 is a perspective view of the bottom of the flashlight constructed in accordance with the present invention;

FIG. 5 is a perspective view of the rear of the flashlight of the present invention; and,

FIG. 6 is a perspective view of the front of the flashlight of the present invention.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6