



US00D428415S

United States Patent [19]

Shibata

[11] Patent Number: Des. 428,415

[45] Date of Patent: ** Jul. 18, 2000

[54] **OPERATION CONTROLLER WITH A DISPLAY FOR ELECTRONIC COMPUTERS**

[75] Inventor: Yuuki Shibata, Tokyo, Japan

[73] Assignee: Kabushiki Kaisha Toshiba, Kawasaki, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/108,757

[22] Filed: Aug. 4, 1999

[30] **Foreign Application Priority Data**

| | | | | |
|--------------|------|-------|-------|---------|
| Mar. 3, 1999 | [JP] | Japan | | 11-5327 |
| Mar. 3, 1999 | [JP] | Japan | | 11-5328 |
| Mar. 3, 1999 | [JP] | Japan | | 11-5329 |

[51] LOC (7) Cl. 14-02

[52] U.S. Cl. D14/356; D14/375; D14/126

[58] Field of Search D14/371, 374, D14/375, 379, 126-129; 345/104, 133, 156, 168, 173; 348/180, 184, 325, 739; 341/12; 349/1, 2, 11, 62

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|--------|-------------------|---------|
| D. 355,176 | 2/1995 | Maeno et al. . | |
| D. 356,077 | 3/1995 | Harada et al. . | |
| D. 356,552 | 3/1995 | Maeno et al. | D14/375 |
| D. 391,557 | 3/1998 | Tada et al. | D14/375 |
| D. 394,248 | 5/1998 | Duan | D14/375 |

FOREIGN PATENT DOCUMENTS

| | | |
|---------|--------|---------|
| 829477 | 2/1992 | Japan . |
| 863348 | 3/1993 | Japan . |
| 974149 | 2/1997 | Japan . |
| 1003543 | 2/1998 | Japan . |

Primary Examiner—Freda Nunn

Attorney, Agent, or Firm—Banner & Witcoff, Ltd.

[57] **CLAIM**

The ornamental design for an operation controller with a display for electronic computers, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of an operation controller with a display for electronic computers according to a first embodiment showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a left side elevational view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a right side elevational view showing the controller with the handle in a standing position; FIG. 9 is a rear elevational view showing the controller with the handle in the standing position; FIG. 10 is a top, front and left side perspective view showing the controller with the tray being pulled out; FIG. 11 is a top, front and left side perspective view of an operation controller with a display for electronic computers according to a second embodiment showing my new design; FIG. 12 is a top plan view thereof; FIG. 13 is a front elevational view thereof; FIG. 14 is a rear elevational view thereof; FIG. 15 is a right side elevational view thereof; FIG. 16 is a left side elevational view thereof; FIG. 17 is a bottom plan view thereof; FIG. 18 is a right side elevational view showing the controller with the handle in a standing position; FIG. 19 is a rear elevational view showing the controller with the handle in the standing position; and, FIG. 20 is a top, front and left side perspective view showing the controller with the tray being pulled out.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8






FIG. 9

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17





FIG. 18






FIG. 19

FIG. 20

