



US00D428471S

United States Patent [19]
Gustafsson

[11] **Patent Number: Des. 428,471**

[45] **Date of Patent: ** Jul. 18, 2000**

[54] **BLOW GUN**

D. 183,070 6/1958 Stillson D23/226
D. 330,069 10/1992 Feyen D23/226
D. 412,736 8/1999 Chen D23/226

[75] Inventor: **Morgan Gustafsson**, Oberägeri,
Switzerland

[73] Assignee: **Bo Erik Nyberg**, Oberageri,
Switzerland

Primary Examiner—Robin V. Taylor
Attorney, Agent, or Firm—Young & Thompson

[**] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a blow gun, as shown.

[21] Appl. No.: **29/110,947**

[22] Filed: **Sep. 17, 1999**

DESCRIPTION

[30] **Foreign Application Priority Data**

Mar. 17, 1999 [SE] Sweden 99-0502

FIG. 1 is a right side elevational view of a blow gun, showing my new design;

[51] **LOC (7) Cl.** **23-01**

FIG. 2 is a left side elevational view thereof;

[52] **U.S. Cl.** **D23/226**

FIG. 3 is a top plan view thereof;

[58] **Field of Search** D23/213, 223,
D23/226; 239/291, 690, 693, 525-6; 361/227-8

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a rear elevational view thereof; and,


FIG. 6 is a front elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 179,859 3/1957 Mortimore D23/213

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2

Fig. 3




Fig. 4




Fig. 5




Fig. 6

