



US00D428542S

United States Patent [19] Young

[11] Patent Number: Des. 428,542

[45] Date of Patent: ** Jul. 18, 2000

[54] YARD WASTE BAGGING DEVICE

[76] Inventor: Roger L. Young, 2515 HighSchool Dr., Brentwood, Mo. 63144

[**] Term: 14 Years

[21] Appl. No.: 29/098,037

[22] Filed: Dec. 21, 1998

[51] LOC (7) Cl. 09-01

[52] U.S. Cl. D34/1

[58] Field of Search D34/1-11; 794/1.1, 794/55, 1.4; 141/108, 109, 313, 390, 391; 15/104.8, 257.1, 257.3; 248/95, 99, 97, 100, 101; 220/908, 909, 910, 911; 383/33, 34, 36; 232/43.2

[56] References Cited

U.S. PATENT DOCUMENTS

176,555	4/1876	Scholfield .	
182,173	9/1876	Cussen	220/908
D. 256,770	9/1980	Broyles .	
296,135	4/1884	Cole	220/908
344,738	6/1886	Hollingsworth et al.	248/99
435,638	9/1890	Barnes	220/910
571,513	11/1896	Davidson	220/910
645,199	3/1900	Brooks	248/97
1,211,278	1/1917	Blum	248/95
1,554,550	9/1925	Berger	248/100
1,994,980	3/1935	Cook	248/98
2,172,529	9/1939	Barker et al.	248/100
2,688,429	9/1954	Davison .	
2,729,956	1/1956	JGilbert	294/1.1
2,827,931	3/1958	Melvin .	
3,818,956	6/1974	Chamberlain .	
3,915,329	10/1975	Zaks	220/910
3,936,087	2/1976	Alexander .	
3,983,914	10/1976	Benson .	
4,037,778	7/1977	Boyle .	
4,133,356	1/1979	Dillingham .	
4,158,995	6/1979	Kaplan et al. .	
4,248,278	2/1981	Blodgett .	
4,312,531	1/1982	Cross .	
4,470,627	9/1984	Carroll et al.	294/55
4,485,855	12/1984	Dillingham .	
4,749,011	6/1988	Rylander .	

4,775,123	10/1988	Borland et al.	248/99
4,890,652	1/1990	Hoerner .	
5,090,309	2/1992	Lai .	

(List continued on next page.)

Primary Examiner—Alan P. Douglas
Assistant Examiner—Cynthia E Ramirez
Attorney, Agent, or Firm—Paul M. Denk


[57] CLAIM

The ornamental design for a yard waste bagging device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the yard waste bagging device of this invention;
 FIG. 2 is a top view thereof;
 FIG. 3 is a bottom view;
 FIG. 4 is a left side view, the right side view being a mirror image thereof;
 FIG. 5 is a front view thereof;
 FIG. 6 is a back view thereof;
 FIG. 7 is a view of the cylindrical portion of the invention as shown in FIG. 1, with its upper funnel being removed;
 FIG. 8 is a top view thereof;
 FIG. 9 is a bottom view thereof;
 FIG. 10 is a side view thereof;
 FIG. 11 is an isometric view of the funnel portion of the yard waste bagging device;
 FIG. 12 is a front view thereof;
 FIG. 13 is a top view thereof;
 FIG. 14 is a bottom view thereof;
 FIG. 15 is a left side view, the right side view being a mirror image thereof;
 FIG. 16 is a view of a pair of the cylindrical members of the yard waste bagging device being nested together;
 FIG. 17 is an isometric view of a modification to the yard waste bagging device of this invention; and,
 FIG. 18 is an isometric view of a further modification to the yard waste bagging device of this invention.
 The funnel is not shown in FIGS. 7, 8, 9 and 10; and the cylindrical portion is not shown in FIGS. 11, 12, 13 and 14, for convenience of illustration.

1 Claim, 5 Drawing Sheets



Des. 428,542

Page 2

U.S. PATENT DOCUMENTS

5,090,756	2/1992	Pfisterer .	5,292,093	3/1994	Shumake .	
5,129,609	7/1992	Tobin .	5,545,559	8/1996	Kariniemi	220/908 X
5,220,554	6/1993	Taniwa .	5,593,117	1/1997	Alexander, III .	
5,226,554	7/1993	Dauphinais .	5,765,614	6/1998	Kardosh .	
5,271,589	12/1993	Belous .	5,785,369	7/1998	Ridley, Sr. et al.	294/1.1
			5,879,039	3/1999	Baker et al.	294/55




FIG. 2

FIG. 4

FIG. 3

FIG. 1




FIG. 7

FIG. 6

FIG. 5




FIG. 12




FIG. 13




FIG. 10




FIG. 11




FIG. 8




FIG. 9




FIG. 15




FIG. 16




FIG. 14




FIG.17




FIG.18