

US00D428824S

United States Patent [19]
Murawski

[11] **Patent Number: Des. 428,824**
[45] **Date of Patent: ** Aug. 1, 2000**

[54] **JEWELRY**

[76] Inventor: **Joseph A. Murawski**, 772 Enterprise Rd., Grove City, Pa. 16127

[**] Term: **14 Years**

[21] Appl. No.: **29/109,657**

[22] Filed: **Aug. 19, 1999**

[51] **LOC (7) Cl.** **11-01**

[52] **U.S. Cl.** **D11/81; D11/81**

[58] **Field of Search** D11/1, 2, 40-44,
D11/48, 49, 50, 57, 79, 81, 95; 63/1.11,
12, 13, 14.1, 18, 20

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 245,785	9/1977	Price	D11/81
0,367,971	8/1887	Gilbert	63/20
2,426,571	8/1947	Wynne, Sr. et al.	63/20

Primary Examiner—Ralf Seifert

Attorney, Agent, or Firm—Kirkpatrick & Lockhart LLP

[57] **CLAIM**

The ornamental design for jewelry, as herein shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the jewelry having a gem located proximate to an attachment end of a hook and which is constructed according to the present invention;

FIG. 2 is a front elevational view of the invention illustrated in FIG. 1;

FIG. 3 is a rear elevational view of the invention illustrated in FIGS. 1 and 2;

FIG. 4 is a top view of the invention illustrated in FIGS. 1-3;

FIG. 5 is a bottom view of the invention illustrated in FIGS. 1-4;

FIG. 6 is a left side elevational view of the invention illustrated in FIGS. 1-5;

FIG. 7 is a right side elevational view of the invention illustrated in FIGS. 1-6;

FIG. 8 is a perspective view of the jewelry having a gem located proximate to a barbed end of a hook and which is constructed according to the present invention;

FIG. 9 is a front elevational view of the invention illustrated in FIG. 8;

FIG. 10 is a rear elevational view of the invention illustrated in FIGS. 8 and 9;

FIG. 11 is a top view of the invention illustrated in FIGS. 8-10;

FIG. 12 is a bottom view of the invention illustrated in FIGS. 8-11;

FIG. 13 is a left side elevational view of the invention illustrated in FIGS. 8-12;

FIG. 14 is a right side elevational view of the invention illustrated in FIGS. 8-13;

FIG. 15 is a perspective view of the jewelry having gems located proximate to an attachment end of a hook and located proximate to a barbed end of said hook, and which is constructed according to the present invention;

FIG. 16 is a front elevational view of the invention illustrated in FIG. 15;

FIG. 17 is a rear elevational view of the invention illustrated in FIGS. 15 and 16;

FIG. 18 is a top view of the invention illustrated in FIGS. 15-17;


FIG. 19 is a bottom view of the invention illustrated in FIGS. 15-18;

FIG. 20 is a left side elevational view of the invention illustrated in FIGS. 15-19; and,

FIG. 21 is a right side elevational view of the invention illustrated in FIGS. 15-20.

It being understood that the broken lines are for illustrative purposes only.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19




FIG. 20




FIG. 21