



US00D428836S

# United States Patent [19]

[11] Patent Number: Des. 428,836

Grosskopf et al.

[45] Date of Patent: \*\* Aug. 1, 2000

[54] **WIDE TIRE TREAD**

[75] Inventors: **Paul Phillip Grosskopf**, Greenville; **Ralston Horace Moore**; **Ibrahim Mustafa Janajreh**, both of Fountain Inn, all of S.C.; **Jean-Paul Gauthier**, Riom, France

[73] Assignee: **Michelin Recherche et Technique S.A.**, Switzerland

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/111,960**

[22] Filed: **Oct. 7, 1999**

[51] **LOC (7) Cl.** ..... **12-15**

[52] **U.S. Cl.** ..... **D12/147**

[58] **Field of Search** ..... D12/134-152;  
152/209.1, 209.8, 209.12, 209.16, 209.28,  
902, 903

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 92,281	5/1934	Anderson	.....	D12/140
D. 278,617	4/1985	Kojima et al.	.....	D12/147
D. 278,618	4/1985	Kojima et al.	.....	D12/147
D. 333,286	2/1993	Rogers et al.	.....	D12/146
D. 365,063	12/1995	Lurois et al.	.....	D12/147
D. 379,606	6/1997	Lurois et al.	.....	D12/147
D. 379,607	6/1997	Lurois et al.	.....	D12/147
D. 389,105	1/1998	Lurois et al.	.....	D12/147
D. 399,461	10/1998	Lurois et al.	.....	D12/147

**OTHER PUBLICATIONS**

Firestone Flotation All Terrain Tire, 1998 Tread Design Guide, p. 191. 1/3.  
Tread Design Guide, 1992, p. 63, Pirelli P7.  
Tread Design Guide, 1992, p. 114, Jetzon Revenger II A/S.  
Tread Design Guide, 1998, p. 134, Double Coin RT500.

Tread Design Guide, 1998, p. 144, Heritage Super Fleet Cargo.

Tread Design Guide, 1998, p. 151, Michelin XDA2.

Tread Design Guide, 1998, p. 191, Firestone Flotation HF-1.

*Primary Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Alan A. Csontos; Robert R. Reed; Martin Farrell

[57] **CLAIM**

The ornamental design for a wide tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a wide tire tread showing our new design, it being understood that the tread pattern is repeated over the outer circumference and shoulder of the tire, the opposite side being the same as that illustrated;

FIG. 2 is an enlarged fragmentary front elevation view of the tread pattern of FIG. 1 showing our new design for the wide tire tread.


FIG. 3 is a perspective view of a second embodiment of the wide tire tread of our new design, it being understood that the tread pattern is repeated over the outer circumference and shoulder of the tire, the opposite side being the same as that illustrated; and,


FIG. 4 is an enlarged fragmentary front elevation view of the tread pattern of FIG. 3 showing our new design for the wide tire tread.

The broken line showing of a tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.


In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having indeterminate depth.

**1 Claim, 4 Drawing Sheets**







*Fig. 1*



*Fig. 2*



*Fig. 3*



*Fig. 4*