



US00D429028S

# United States Patent [19]

Muller et al.

[11] Patent Number: Des. 429,028

[45] Date of Patent: \*\* Aug. 1, 2000

[54] HAIR DRYER WITH SENSOR

[75] Inventors: **Ronald L. Muller**, Norwalk, Conn.;  
**Duane D. Adams**, Mount Upton, N.Y.

[73] Assignee: **Philips Electronics North America Corporation**, New York, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/092,218**

[22] Filed: **Aug. 14, 1998**

[51] LOC (7) Cl. .... **28-03**

[52] U.S. Cl. .... **D28/13**

[58] Field of Search ..... D28/12-18; 34/96-98;  
392/383-385

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 263,427	3/1982	McBrien	.....	D28/13
D. 343,698	1/1994	Sharples	.....	D28/13
D. 359,579	6/1995	Mattis	.....	D28/13
D. 374,743	10/1996	Viemeister	.....	D28/13
D. 375,577	11/1996	Viemeister	.....	D28/13
D. 398,073	9/1998	Kip	.....	D28/13
5,555,637	9/1996	Montagnino	.....	34/97
5,590,475	1/1997	Andis	.....	34/97
5,701,681	12/1997	Wonka et al.	.....	34/97

**FOREIGN PATENT DOCUMENTS**

3723019	1/1989	Germany	.....	392/385
4348701	12/1992	Japan	.....	392/384
5309013	11/1993	Japan	.....	392/384

**OTHER PUBLICATIONS**

Hong Kong Enterprise, Jun. 1996, p. 155- item Nos. MS-3002 and MS 3001 in middle row.

*Primary Examiner*—Ted Shooman  
*Assistant Examiner*—C Tuttle  
*Attorney, Agent, or Firm*—Ernestine C. Bartlett


[57] **CLAIM**

The ornamental design for a hair dryer with sensor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a top view thereof; and, FIG. 6 is a bottom view thereof. The broken line showing of the cord is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6