



US00D429099S

# United States Patent [19] Gibbens

[11] **Patent Number: Des. 429,099**

[45] **Date of Patent: \*\* Aug. 8, 2000**

[54] **SINGLE TORSION COIL SPRING**

[75] Inventor: **Gregory Richard Gibbens**, Somersby, Australia

[73] Assignee: **George Gibbens Pty. Limited**, New South Wales, Australia

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/085,676**

[22] Filed: **Mar. 27, 1998**

[30] **Foreign Application Priority Data**

Sep. 29, 1997 [AU] Australia ..... 3212/97

[51] **LOC (7) Cl.** ..... **06-06**

[52] **U.S. Cl.** ..... **D6/504**

[58] **Field of Search** ..... D6/504, 382, 491;  
5/255, 256, 257, 247, 248, 266; 267/87,  
91-93, 95, 103

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

442,063 12/1890 Locke ..... 5/255

688,413	12/1901	Harrison	.....	5/255
723,874	3/1903	Howell	.....	5/247
1,055,662	3/1913	Scheible	.....	5/255
4,778,157	10/1988	Thomas	.....	267/103

*Primary Examiner*—Janice E. Seeger  
*Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP


[57] **CLAIM**


The ornamental design for a single torsion coil spring, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a single torsion coil spring showing my new design  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a plan/inverted plan view;  
FIG. 5 is a right side view; and,  
FIG. 6 is a left side view.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**