



US00D429143S

United States Patent [19]
Weiss

[11] **Patent Number: Des. 429,143**

[45] **Date of Patent: ** Aug. 8, 2000**

[54] **ELECTRICAL CORD RESTRAINT**

5,184,792 2/1993 Bernhard et al. 248/71

[76] Inventor: **Tom Weiss**, 23151 Alcalde, #A2,
Laguna Hills, Calif. 92653

Primary Examiner—Holly Baynham
Attorney, Agent, or Firm—Gene Scott; Patent Law &
Venture Group

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/110,950**

The ornamental design for an electrical cord restraint, as shown and described.

[22] Filed: **Sep. 15, 1999**

[51] **LOC (7) Cl.** **08-05**

[52] **U.S. Cl.** **D8/356**

[58] **Field of Search** D8/367, 356; D6/323;
248/301, 304, 71; 24/16 PB; 174/153 G

DESCRIPTION


FIG. 1 is a perspective view of an electrical cord restraint, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,679,998	6/1954	Keller	248/205.3
3,055,333	9/1962	Ryan	114/210
5,141,192	8/1992	Adams	248/231.8

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7