



US00D429202S

United States Patent [19]

[11] Patent Number: Des. 429,202

Todd et al.

[45] Date of Patent: ** *Aug. 8, 2000

[54] COMBINED REARVIEW MIRROR AND SEVEN PIXEL SIGNALLING INDICATOR

[75] Inventors: Daniel R. Todd; Daniel J. Mathieu; Allen A. Bukosky; Michael J. Musiel, all of Sheboygan, Wis.

[73] Assignee: K. W. Muth Company, Inc., Sheboygan, Wis.

[*] Notice: This patent is subject to a terminal disclaimer.

[**] Term: 14 Years

[21] Appl. No.: 29/113,348

[22] Filed: Nov. 1, 1999

[51] LOC (7) Cl. 12-16

[52] U.S. Cl. D12/189

[58] Field of Search D12/187-189; 359/838, 843, 844, 850, 868, 871, 872, 874, 876, 877, 881, 841; 248/475.1, 480, 481, 479, 487, 494, 483

[56] References Cited

U.S. PATENT DOCUMENTS

D. 372,450	8/1996	Santo	D12/187
D. 394,833	6/1998	Muth	D12/187
D. 409,540	5/1999	Muth	D12/187

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Wells, St. John, Roberts, Gregory & Matkin, P.S.


[57] CLAIM


The ornamental design for a combined rearview mirror and seven pixel signalling indicator, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a combined rearview mirror and seven pixel signalling indicator showing our new design, and with the seven pixel signalling indicator energized, and with the broken lines showing for illustrative purposes only, and forming no part of the claim design; FIG. 2 is a perspective view taken from a second position of the combined rearview mirror and seven pixel signalling indicator showing our new design and with the signalling indicator energized, and with a broken line showing for illustrative purposes only, and forming no part of the claim design; FIG. 3 is a front elevational view thereof, with the seven pixel signalling indicator energized; FIG. 4 is a front elevation view thereof, with the seven pixel signalling indicator deenergized; FIG. 5 is a rear elevation view of the combined rearview mirror and seven pixel signalling indicator as shown in FIG. 1; FIG. 6 is a top plan view of the combined rearview mirror and seven pixel signalling indicator as shown in FIG. 1; FIG. 7 is a bottom plan view of the combined rearview mirror seven pixel signalling indicator as shown in FIG. 1; FIG. 8 is a side elevation view of the combined rearview mirror and signalling indicator as shown in FIG. 1; and, FIG. 9 is a side elevation view of the combined rearview mirror and seven pixel signalling indicator as shown in FIG. 1, and which is taken from a position opposite to that shown in FIG. 8.

1 Claim, 5 Drawing Sheets







DES. 429,202




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

