



US00D429337S

United States Patent [19]
Sanfilippo

[11] **Patent Number: Des. 429,337**

[45] **Date of Patent: ** Aug. 8, 2000**

[54] **ELECTRODE**

[76] Inventor: **Robert M. Sanfilippo**, 890 Calle la Primavera, Glendale, Calif. 91208

[**] Term: **14 Years**

[21] Appl. No.: **29/112,670**

[22] Filed: **Oct. 21, 1999**

[51] **LOC (7) Cl.** **24-01**

[52] **U.S. Cl.** **D24/187**

[58] **Field of Search** D24/187; 600/372, 600/382, 383, 384, 391, 392; 607/152, 153, 148, 149

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 240,166 6/1976 Cartmell et al. .
- D. 423,673 4/2000 Bassøe D24/187
- D. 423,674 4/2000 Bassøe D24/187

- 4,267,840 5/1981 Lazar 607/152
- 4,274,420 6/1981 Hymes 600/391
- 4,777,954 10/1988 Keusch et al. 128/640
- 5,402,780 4/1995 Faasse, Jr. 128/641
- 5,511,548 4/1996 Riazzi et al. 128/641
- 5,846,217 12/1998 Beck et al. 604/20
- 6,023,631 2/2000 Cartmell et al. 600/372

Primary Examiner—Stella Reid

[57] **CLAIM**

The ornamental design for an electrode, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of an electrode, showing my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a side elevational view thereof;
 FIG. 4 is a left side elevational view thereof; and,
 FIG. 5 is a right side elevational view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 5




FIG. 2




FIG. 4




FIG. 3

