



US00D429337S

# United States Patent [19] Sanfilippo

[11] **Patent Number: Des. 429,337**

[45] **Date of Patent: \*\* Aug. 8, 2000**

[54] **ELECTRODE**

[76] Inventor: **Robert M. Sanfilippo**, 890 Calle la Primavera, Glendale, Calif. 91208

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/112,670**

[22] Filed: **Oct. 21, 1999**

[51] **LOC (7) Cl.** ..... **24-01**

[52] **U.S. Cl.** ..... **D24/187**

[58] **Field of Search** ..... D24/187; 600/372, 600/382, 383, 384, 391, 392; 607/152, 153, 148, 149

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 240,166 6/1976 Cartmell et al. .
- D. 423,673 4/2000 Bassøe ..... D24/187
- D. 423,674 4/2000 Bassøe ..... D24/187

- 4,267,840 5/1981 Lazar ..... 607/152
- 4,274,420 6/1981 Hymes ..... 600/391
- 4,777,954 10/1988 Keusch et al. .... 128/640
- 5,402,780 4/1995 Faasse, Jr. .... 128/641
- 5,511,548 4/1996 Riazzi et al. .... 128/641
- 5,846,217 12/1998 Beck et al. .... 604/20
- 6,023,631 2/2000 Cartmell et al. .... 600/372

*Primary Examiner*—Stella Reid


[57] **CLAIM**

The ornamental design for an electrode, as shown.


**DESCRIPTION**

FIG. 1 is a top perspective view of an electrode, showing my new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a side elevational view thereof;  
 FIG. 4 is a left side elevational view thereof; and,  
 FIG. 5 is a right side elevational view thereof.


**1 Claim, 2 Drawing Sheets**




*FIG. 1*




*FIG. 5*



*FIG. 2*



*FIG. 4*



*FIG. 3*

