



US00D429531S

United States Patent [19] VonDross

[11] Patent Number: **Des. 429,531**

[45] Date of Patent: **** Aug. 15, 2000**

[54] **STRUCTURAL BLOCK**

975512 10/1950 France 52/604
985243 5/1951 France 52/608

[75] Inventor: **Kerry L. VonDross**, Waukesha, Wis.

OTHER PUBLICATIONS

[73] Assignee: **Best Block Company**, Butler, Wis.

RPG Diffuser Systems, Inc.. DIFFUSORBLOX—The First Radically New Development in Acoustical Concrete Masonry Technology in 30 Years.

[**] Term: **14 Years**

West Materials, Inc., “ENERBLOCK—Insulating Concrete Masonry”.

[21] Appl. No.: **29/102,094**

Sweet’s General Building & Renovation 1993 Catalog File: Oldcastle Architectural Products, Florentine Collection, highlighted stones.

[22] Filed: **Mar. 17, 1999**

[51] **LOC (7) Cl.** **25-01**

[52] **U.S. Cl.** **D25/114**

[58] **Field of Search** D25/102, 113–118;
D21/484–486, 488–493, 499–505; 52/574–575,
596, 604–612; 404/33–42; 405/284–286

Primary Examiner—Doris Clark

Assistant Examiner—Robert A. Delehanty

Attorney, Agent, or Firm—Andrus, Scales, Starke & Sawall

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 291,601	8/1987	D’Antonio et al. .	
D. 306,764	3/1990	D’Antonio et al. .	
D. 387,183	12/1997	VonDross .	
D. 409,312	5/1999	Staten et al.	D25/113
439,641	11/1890	Farrar	D25/114
916,756	3/1909	Mosstman et al.	52/595
1,441,156	1/1923	Kindstrom	D25/114
2,933,146	4/1960	Zaldastani et al. .	
3,506,089	4/1970	Junger .	
3,837,426	9/1974	Kleinschmidt .	
3,866,001	2/1975	Kleinschmidt et al. .	
4,269,013	5/1981	West .	
4,319,661	3/1982	Proudfoot .	
4,499,142	2/1985	Kingston .	
4,821,839	4/1989	D’Antonio et al. .	
4,833,852	5/1989	West .	
4,964,486	10/1990	D’Antonio et al. .	
5,027,920	7/1991	D’Antonio et al. .	
5,168,129	12/1992	D’Antonio .	
5,193,318	3/1993	D’Antonio et al. .	
5,226,267	7/1993	D’Antonio et al. .	
5,401,921	3/1995	D’Antonio et al. .	
5,700,983	12/1997	VonDross .	

FOREIGN PATENT DOCUMENTS

941261	7/1948	France	52/574
--------	--------	--------------	--------


[57] **CLAIM**

The ornamental design for a structural block, as shown.

DESCRIPTION

FIG. 1 is a top, front, and left side isometric view of the structural block of the invention;
 FIG. 2 is a top view of the structural block;
 FIG. 3 is a front view of the structural block;
 FIG. 4 is a left side view of the structural block;
 FIG. 5 is a right side view of the structural block;
 FIG. 6 is a bottom view of the structural block;
 FIG. 7 is a top, front and left side isometric view of an alternate embodiment of the structural block of the invention;
 FIG. 8 is a top view of the alternate embodiment shown in FIG. 7;
 FIG. 9 is a front view of the alternate embodiment shown in FIG. 7;
 FIG. 10 is a left side view of the alternate embodiment shown in FIG. 7;
 FIG. 11 is a right side view of the alternate embodiment shown in FIG. 7; and,
 FIG. 12 is a bottom view of the alternate embodiment shown in FIG. 7.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12