



US00D429725S

United States Patent [19] Morimiya

[11] **Patent Number: Des. 429,725**

[45] **Date of Patent: ** Aug. 22, 2000**

[54] **MACHINE FOR IDENTIFYING FINGERPRINT**

[75] Inventor: **Yuji Morimiya**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/112,951**

[22] Filed: **Oct. 27, 1999**

[51] **LOC (7) Cl.** **14-02**

[52] **U.S. Cl.** **D14/384**

[58] **Field of Search** D10/46; D14/105, D14/114, 384; 235/379-382, 382.5; 356/71; 380/23-25; 382/284, 124, 209, 278, 282, 126, 115-116, 125, 127; 340/825.31-825.35; 902/3-6, 25, 26; 283/68, 69, 74, 75

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 382,862 8/1997 Nakayama et al. D14/107
- D. 397,683 9/1998 Sakamoto et al. D14/107

5,920,640 7/1999 Salatino et al. 382/124

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Rader, Fishman & Grauer


[57] **CLAIM**

The ornamental design for a machine for identifying fingerprint, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a machine for identifying fingerprint showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a right side elevational view thereof; and FIG. 7 is a rear elevational view thereof; and, FIG. 8 is another perspective view thereof, wherein the window portion is in the open position. The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 8




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7