



US00D429789S

United States Patent [19] Sheehan

[11] Patent Number: **Des. 429,789**

[45] Date of Patent: **** Aug. 22, 2000**

[54] **APERTURE GUN SIGHT**

3,991,500 11/1976 Kershner et al. 42/100
4,458,436 7/1984 Bohl 42/100
4,745,698 5/1988 Schwulst .

[76] Inventor: **Timothy J. Sheehan**, P.O. Box 20489,
Sedona, Ariz. 86341-0489

[**] Term: **14 Years**

[21] Appl. No.: **29/083,503**

[22] Filed: **Feb. 11, 1998**

FOREIGN PATENT DOCUMENTS

11838 8/1916 United Kingdom .

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A. Weingart
Attorney, Agent, or Firm—Eric J. Sheets

Related U.S. Application Data

[63] Continuation-in-part of application No. 29/066,418, Feb. 14, 1997.

[51] **LOC (7) Cl.** **22-01**

[52] **U.S. Cl.** **D22/109; D22/100; D22/108; D22/199**

[58] **Field of Search** **D22/100, 108, D22/109, 110, 199; 42/100, 102; 33/261**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 378,936 4/1997 DePaoli D22/109
D. 382,038 8/1997 Nigh D22/109
846,217 3/1907 King Jr. .
1,380,150 5/1921 Keeran 33/261
1,425,321 8/1922 Etherington .
2,488,836 11/1949 Sweetman .
2,645,017 7/1953 Hasse .
3,641,676 2/1972 Knutsen et al. 42/100
3,645,635 2/1972 Steck 42/100


[57] CLAIM

The ornamental design for an aperture gun sight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an aperture gun sight , as seen from the front left portion, showing my new design; FIG. 2 is a top elevational view thereof; FIG. 3 is a front view thereof; FIG. 4 is a side view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a perspective view thereof shown mounted on a firearm, the firearm shown in broken lines are for illustrative purposes only and form no part of the claimed design; and, FIG. 8 is a perspective view thereof shown mounted on a firearm, the firearm shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG.7




FIG.8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 429,789
DATED : August 22, 2000
INVENTOR(S) : Timothy J. Sheehan

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below: **On the Title Page**

In the Description section, Fig. 1, the word "legt" should read -- left --.

Signed and Sealed this
Tenth Day of April, 2001

Attest:



NICHOLAS P. GODICI

Attesting Officer

Acting Director of the United States Patent and Trademark Office