



US00D429816S

United States Patent [19]

[11] Patent Number: Des. 429,816

Rohrs et al.

[45] Date of Patent: ** Aug. 22, 2000

[54] **ARTICULATED SPLINT**

[75] Inventors: **Donald L. Rohrs**, Shawnee Mission, Kans.; **Stephen P. Buckley**, Hingham, Mass.; **Thomas A. Wealand**, Overland Park, Kans.

[73] Assignee: **Cramer Products, Inc.**, Gardner, Kans.

[**] Term: **14 Years**

[21] Appl. No.: **29/104,623**

[22] Filed: **May 10, 1999**

Related U.S. Application Data

[63] Continuation-in-part of application No. 09/042,522, Mar. 16, 1998, Pat. No. 6,045,520.

[51] **LOC (7) Cl.** **24-04**

[52] **U.S. Cl.** **D24/190**

[58] **Field of Search** D24/190; 602/5, 602/16, 23, 26, 21

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,092	5/1841	Douglass .	
19,025	1/1858	Gruol .	
21,872	10/1858	Bunce .	
31,501	2/1861	Whitten .	
158,894	1/1875	Bissell .	
161,323	3/1875	Brown et al. .	
163,829	5/1875	Westerkamp .	
D. 291,596	8/1987	Detty	D24/190
D. 298,462	11/1988	Womack	D24/190
D. 346,028	4/1994	Lengyel	D24/190
504,218	8/1893	Hoppe .	
552,143	12/1895	Rankin .	
649,237	5/1900	Dyson .	
1,089,201	3/1914	Follows .	
1,334,596	3/1920	Crouch .	

1,340,630	5/1920	Maddox .	
2,339,515	1/1944	Parcher .	
2,827,897	3/1958	Pawlowki .	
3,669,105	6/1972	Castiglia	602/16
3,745,997	7/1973	Gledhill .	
3,943,923	3/1976	Scheinberg .	
4,050,456	9/1977	Cornue .	
4,169,467	10/1979	Rabischong .	
4,209,011	6/1980	Peck et al. .	
4,266,298	5/1981	Graziano .	
4,270,527	6/1981	Peters et al. .	
4,323,059	4/1982	Rambert et al.	602/16
4,340,041	7/1982	Frank	602/16
4,719,906	1/1988	DeProspero	602/21
4,854,305	8/1989	Bremer .	
5,000,168	3/1991	Lipson .	
5,000,169	3/1991	Swicegood et al. .	
5,292,302	3/1994	Gianferante .	
5,873,847	2/1999	Bennett et al.	602/16

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—John C. McMahon


[57] **CLAIM**

The ornamental design for a articulated splint, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an articulated splint, showing our new design, in unfolded configuration; FIG. 2 is a first side view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a second side view thereof; FIG. 8 is a perspective view of the splint in a completely folded configuration; and, FIG. 9 is a side view of the splint in the folded configuration thereof.

1 Claim, 3 Drawing Sheets






Fig. 2.




Fig. 3.




Fig. 4.



Fig. 5.




Fig. 6.




Fig. 7.



Fig. 8.




Fig. 9.

