



US00D430016S

# United States Patent [19]

Pirro et al.

[11] Patent Number: **Des. 430,016**

[45] Date of Patent: **\*\* Aug. 29, 2000**

[54] **BATTERY PACKAGE**

5,429,233 7/1995 Juaristi ..... 206/705  
5,735,404 4/1998 Kumakura et al. .... 206/469

[75] Inventors: **Jeffrey P. Pirro**, Marcellus; **Ronald J. Kingston**, Camillus, both of N.Y.

### OTHER PUBLICATIONS

[73] Assignee: **Eveready Battery Company, Inc.**, St. Louis, Mo.

Techform Inc. (From 206/461 Shoe), Nov. 1982.  
Modern Packaging Catalog, p. 300, Jan. 1941.

[\*\*] Term: **14 Years**

*Primary Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Robert W. Welsh; Stewart A. Fraser

[21] Appl. No.: **29/103,991**

### [57] CLAIM

[22] Filed: **Apr. 26, 1999**

We claim the ornamental design for battery package, as shown and described.

[51] **LOC (7) Cl.** ..... **09-07**

[52] **U.S. Cl.** ..... **D9/415**

[58] **Field of Search** ..... D9/415, 418, 337,  
D9/338, 341, 432; 206/461-471, 703, 704,  
705, 806, 495, 769-773, 775-781

### DESCRIPTION


### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 222,581 11/1971 Nakamura ..... D9/415  
D. 339,984 10/1993 Cohen ..... D9/415  
D. 410,384 1/1999 Gaffney et al. .... D9/415  
5,029,705 7/1991 Schmidt et al. .... 206/705  
5,379,894 1/1995 Haas et al. .... 206/461 X

FIG. 1 is a perspective view of a battery package showing the new design;  
FIG. 2 is a front elevational view of FIG. 1;  
FIG. 3 is a top plan view of FIG. 1;  
FIG. 4 is a right side elevational view of FIG. 1, the left side elevational is a mirror image of the right side elevation;  
FIG. 5 is a back elevational view of FIG. 1; and,  
FIG. 6 is a bottom view of FIG. 1.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 5



Fig. 4




Fig. 6