



US00D430055S

# United States Patent [19]

Aiello et al.

[11] Patent Number: **Des. 430,055**

[45] Date of Patent: **\*\* Aug. 29, 2000**

[54] **PASSIVE INFRARED OCCUPANCY SENSOR**

[75] Inventors: **Justin Aiello**, Port Washington, N.Y.; **Willfred Goldschmidt**, Weston; **Jeff Mullally**, Milford, both of Conn.; **R. Kurt Bender**, Dripping Springs, Tex.

[73] Assignee: **MYTECH**, Austin, Tex.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/115,166**

[22] Filed: **Dec. 8, 1999**

[51] **LOC (7) Cl.** ..... **10-05**

[52] **U.S. Cl.** ..... **D10/106**

[58] **Field of Search** ..... D10/104, 106, D10/116, 121; 340/541, 543, 544, 545, 546, 547, 551, 571, 572, 573, 689

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 381,283 7/1997 Soreo ..... D10/106

D. 383,078 9/1997 Carmi ..... D10/106  
D. 404,326 1/1999 Bender et al. .... D10/106  
D. 409,936 5/1999 Baldwin et al. .... D10/106  
D. 421,403 3/2000 Kanzaki ..... D10/106

*Primary Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Fulbright & Jaworski

[57] **CLAIM**


The design for a passive infrared occupancy sensor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the bottom, front and right sides of the passive infrared occupancy sensor showing the new and ornamental design; and,

FIG. 2 is a perspective view of the top, front and left sides of the passive infrared occupancy sensor of FIG. 1.

**1 Claim, 2 Drawing Sheets**






Figure 1




Figure 2