



US00D430186S

# United States Patent [19]

Suzuki et al.

[11] Patent Number: Des. 430,186

[45] Date of Patent: \*\* Aug. 29, 2000

[54] CAMERA

[75] Inventors: **Wataru Suzuki; Yosuke Wakamiya,**  
both of Nagano, Japan

[73] Assignee: **Seiko Epson Corporation,** Tokyo,  
Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/110,696**

[22] Filed: **Sep. 14, 1999**

### [30] Foreign Application Priority Data

Mar. 19, 1999 [JP] Japan ..... 11-7109

[51] LOC (7) Cl. .... **16-01**

[52] U.S. Cl. .... **D16/218; D16/202**

[58] Field of Search ..... D16/200-205,  
D16/208, 209, 211, 212, 216-218; 348/373-376;  
396/535, 541

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 352,303 11/1994 Lamphron ..... D16/209

D. 387,078 12/1997 Akita ..... D16/202  
D. 388,449 12/1997 Ohi et al. .... D16/202  
D. 416,270 11/1999 Harata ..... D16/202  
4,943,822 7/1990 Braunhut ..... 396/535

*Primary Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Oliff & Berridge, PLC

### [57] CLAIM

The ornamental design for a camera, as shown and described.

### DESCRIPTION

FIG. 1 is a front view of the camera in accordance with the inventive design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6




FIG. 7