



US00D430254S

United States Patent [19] Norblom

[11] Patent Number: **Des. 430,254**

[45] Date of Patent: **** Aug. 29, 2000**

[54] **TRAINING DEVICE**

5,530,967 7/1996 Cielo 2/16
5,964,683 10/1999 Norblom .

[75] Inventor: **Terry Lee Norblom**, St. Louis Park, Minn.

OTHER PUBLICATIONS

[73] Assignee: **Round One, Inc.**, Minneapolis, Minn.

“Get In Gear” Fall catalog (1997).
Everlast® Martial Arts Equipment Catalog, Everlast Sports Mfg. Corp., 750 East 132nd. St., Bronx, NY 10454.
Macho Martial Arts Catalog, Fall 1997.
RheeMax Catalog, RheeMax, 900 Mendenhall Court, Columbia, MD 21045, (1995).
HITMAN® Catalog, NDL® Products, 4031 N.E. 12th Terrace, Oakland Park, FL 33334.

[**] Term: **14 Years**

[21] Appl. No.: **29/111,454**

[22] Filed: **Sep. 28, 1999**

[51] **LOC (7) Cl.** **21-02**

[52] **U.S. Cl.** **D21/798**

[58] **Field of Search** D21/798; 2/16;
482/88, 83, 84, 85, 86, 87

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Merchant & Gould P.C.

[57] CLAIM

[56] References Cited

The ornamental design for a training device, as shown and described.

U.S. PATENT DOCUMENTS

DESCRIPTION

2,710,970	6/1955	Kennedy .	
2,740,120	4/1956	Temple .	
3,755,820	9/1973	Petrusek .	
3,855,633	12/1974	Rhee .	
4,290,147	9/1981	Bruckner et al. .	
4,361,912	12/1982	Arthur .	
4,425,668	1/1984	Wen-Jen et al. .	
4,478,408	10/1984	Bruckner	482/88
4,546,966	10/1985	Segura	482/88
4,603,439	8/1986	Golomb .	
4,942,624	7/1990	Cho	2/16
4,991,231	2/1991	Swift .	
4,996,979	3/1991	Grim et al. .	
5,083,314	1/1992	Andujar .	
5,146,624	9/1992	Bruckner .	
5,209,691	5/1993	Ekstein .	
5,458,564	10/1995	Franzen .	

The entire disclosure of U.S. patent application Ser. No. 09/034,524, which is now U.S. Pat. No. 5,964,683, is incorporated herein by reference.
FIG. 1 is a perspective view showing the back, bottom and left side views of the training device according to the invention;
FIG. 2 is a view of the left side of the training device;
FIG. 3 is a view of the back side of the training device;
FIG. 4 is a view of the front side of the training device;
FIG. 5 is a view of the bottom of the training device; and,
FIG. 6 is a view of the top of the training device.
The right side view of the training device is a mirror image of the view shown in FIG. 2.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

