



US00D430314S

# United States Patent [19] Shaw

[11] **Patent Number: Des. 430,314**

[45] **Date of Patent: \*\* Aug. 29, 2000**

[54] **ROOF MOUNTED SAFETY ANCHOR**

[76] Inventor: **Brent Shaw**, 2079 Lakeshore Drive,  
Sarnia, Ontario, Canada, N0N 1R3

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/102,134**

[22] Filed: **Mar. 18, 1999**

### [30] Foreign Application Priority Data

Oct. 2, 1998 [CA] Canada ..... 1998-2401

[51] **LOC (7) Cl.** ..... **25-01**

[52] **U.S. Cl.** ..... **D25/133; D25/131**

[58] **Field of Search** ..... D25/68, 199, 131,  
D25/133; 182/45, 107, 6, 3; 52/166, 146,  
147, 148, 149, 151, 749.12, 703, 125.5,  
698; 294/89, 83 R

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 270,365 8/1983 Hawk ..... D25/131  
D. 392,752 3/1998 Kelly et al. .... D25/133

D. 397,453 8/1998 Dahlin et al. .... D25/131  
4,545,460 10/1985 Byrd ..... 182/107  
5,694,720 12/1997 Walcher et al. .... 182/45

*Primary Examiner*—Doris Clark  
*Attorney, Agent, or Firm*—Arne I. Fors


### [57] CLAIM

The ornamental design is for a roof mounted safety anchor;  
as shown and described.

### DESCRIPTION

FIG. 1 is a top perspective view of a roof mounted safety anchor, showing my new design;  
FIG. 2 is a top plan view thereof, the bottom plan view being a mirror-image thereof;  
FIG. 3 is a side elevation view thereof;  
FIG. 4 is an end elevation thereof;  
FIG. 5 is an opposite end elevation thereof; and,  
FIG. 6 is a top perspective view of a variant of my new design.  
The broken lines disclosed on the drawing represents stitching.

**1 Claim, 3 Drawing Sheets**






FIG.1.






FIG. 5.




FIG. 4.




FIG. 6