



US00D430399S

**United States Patent** [19]  
**Pawuk**

[11] **Patent Number: Des. 430,399**

[45] **Date of Patent: \*\* Sep. 5, 2000**

[54] **MULTI-LEVEL TRAY**

[76] Inventor: **Terry Pawuk**, 18535 S. Boone Rd.,  
Columbia Station, Ohio 44028

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/086,945**

[22] Filed: **Apr. 23, 1998**

[51] **LOC (7) Cl.** ..... **03-01**

[52] **U.S. Cl.** ..... **D3/313; D3/304; D3/312**

[58] **Field of Search** ..... **D3/304, 312, 313;**  
**D9/424, 425; 206/503, 504, 506, 578, 557;**  
**220/503, 507, 676; 222/161, 191, 572**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

221,635 11/1879 Wahl et al. .... 222/572  
D. 262,507 1/1982 Woolridge ..... D7/698

(List continued on next page.)

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Monica A. Weingart

*Attorney, Agent, or Firm*—Renner, Otto, Boisselle & Sklar,  
LLP

[57] **CLAIM**

The design for a multi-level tray, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of the bottom tray of the multi-level tray of the invention dis-assembled from the intermediate and top trays of the multi-level tray;

FIG. 2 is a front view of the bottom tray;

FIG. 3 is a right side view of the bottom tray;

FIG. 4 is a left side view of the bottom tray;

FIG. 5 is a back view of the bottom tray;

FIG. 6 is a bottom view of the bottom tray;

FIG. 7 is an elevation view of the bottom tray looking in toward the spout and showing portions of the front and right sides, respectively at the left and right parts of FIG. 7;

FIG. 8 is an isometric view looking down toward the interior of the bottom tray from in front of and above the spout;

FIG. 9 is a top view of the intermediate tray of the multi-level tray of the invention dis-assembled from the bottom and top trays of the multi-level tray;

FIG. 10 is a front view of the intermediate tray;

FIG. 11 is a right side view of the intermediate tray;

FIG. 12 is a left side view of the intermediate tray;

FIG. 13 is a back view of the intermediate tray;

FIG. 14 is a bottom view of the intermediate tray;

FIG. 15 is an elevation view of the intermediate tray looking in toward the spout and showing portions of the front and right sides, respectively at the left and right parts of FIG. 15;

FIG. 16 is an isometric view looking down toward the interior of the intermediate tray from in front of and above the spout;

FIG. 17 is a top view of the top tray of the multi-level tray of the invention dis-assembled from the intermediate and bottom trays of the multi-level tray;

FIG. 18 is a front view of the top tray;

FIG. 19 is a right side view of the top tray;

FIG. 20 is a left side view of the top tray;

FIG. 21 is a back view of the top tray;

FIG. 22 is a bottom view of the top tray;

FIG. 23 is an elevation view of the top tray looking in toward the spout and showing portions of the front and right sides, respectively at the left and right parts of FIG. 23;

FIG. 24 is an isometric view looking down toward the interior of the top tray from in front of and above the spout;

FIG. 25 is a top view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray of the invention;

FIG. 26 is a front view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray;

FIG. 27 is a right side view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray;

FIG. 28 is a left side view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray;


FIG. 29 is a back view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray;

FIG. 30 is a bottom view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray;

FIG. 31 is an elevation view of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray looking in toward the spout and showing portions of the front and right sides, respectively at the left and right parts of FIG. 31; and,

FIG. 32 is an isometric view looking down toward the interior of the stacked arrangement of bottom, intermediate and top trays of the multi-level tray from in front of and above the spout.

**1 Claim, 8 Drawing Sheets**



# Des. 430,399

Page 2

---

U.S. PATENT DOCUMENTS			
		2,914,109	11/1959 Bishop et al. .... 206/540
		2,952,369	9/1960 Rew .
D. 283,390	4/1986	2,960,134	11/1960 Fornas ..... 206/503
D. 363,195	10/1995	3,747,756	7/1973 Wheeler ..... 209/703
D. 382,402	8/1997	4,643,316	2/1987 Hoffmann ..... 209/702
D. 395,953	7/1998	4,679,691	7/1987 Halloran .
D. 403,862	1/1999	5,117,982	6/1992 Shothafer et al. .... 209/702
		2,530,009	11/1950 Fields .
		2,704,974	3/1955 Setman .
		2,821,078	1/1958 Steward ..... 222/572
		5,181,613	1/1993 Wright .
		5,353,930	10/1994 Berry, Jr. .... 206/557
		5,495,950	3/1996 Jellum ..... 209/703




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24






Fig. 25




Fig. 26



Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32