



US00D430470S

United States Patent [19] Neff

[11] **Patent Number: Des. 430,470**

[45] **Date of Patent: ** Sep. 5, 2000**

[54] **TOOL FOR INSERTING RING TRAVELLERS**

4,864,720 9/1989 Uyemura 29/765

[75] Inventor: **Andreas Neff**, Pfäffikon-Zürich,
Switzerland

Primary Examiner—Alan P. Douglas
Assistant Examiner—Reid Hecker
Attorney, Agent, or Firm—Hill & Simpson

[73] Assignee: **Bräcker AG**, Switzerland

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a tool for inserting ring travellers,
as shown and described.

[21] Appl. No.: **29/111,507**

[22] Filed: **Sep. 29, 1999**

[30] **Foreign Application Priority Data**

May 26, 1999 [XH] Hague Agreement DMA/004527

[51] **LOC (7) Cl.** **08-05**

[52] **U.S. Cl.** **D8/51**

[58] **Field of Search** D8/14, 51, 499;
29/426.6, 765

DESCRIPTION

FIG. 1 is a perspective view taken from the top front left side of the tool for inserting ring travellers according to the present invention;
FIG. 2 is a rear view of the tool for inserting ring travellers according to the present invention;
FIG. 3 is a front view of the tool for inserting ring travellers according to the present invention;
FIG. 4 is a right side view of the tool for inserting ring travellers according to the present invention;
FIG. 5 is a left side view of the tool for inserting ring travellers according to the present invention;
FIG. 6 is a top plan view of the tool for inserting ring travellers according to the present invention; and,
FIG. 7 is a bottom view of the tool for inserting ring travellers according to the present invention.

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,109,309	9/1914	Staubli	29/765
3,100,334	8/1963	Ramseier	29/765
3,191,284	6/1965	Eurey	29/765
3,490,127	1/1970	Anderson	29/765
4,575,933	3/1986	Neff	29/765

1 Claim, 4 Drawing Sheets



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

