



US00D430472S

# United States Patent [19] Cummings

[11] **Patent Number: Des. 430,472**

[45] **Date of Patent: \*\* Sep. 5, 2000**

[54] **CLAMP**

[76] **Inventor: David S. Cummings**, 352 Mirick Rd., Princeton, Mass. 01541

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 29/114,697**

[22] **Filed: Nov. 30, 1999**

[51] **LOC (7) Cl. .... 08-05**

[52] **U.S. Cl. .... D8/72**

[58] **Field of Search** ..... D8/71-74; D15/140; 72/311, 325, 412, 457, 497, 705; 269/90, 95, 114, 251, 243, 160; 294/116

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 300,748 4/1989 Jarman et al. .... D15/140
- D. 350,683 9/1994 Tessman ..... D8/72
- D. 356,721 3/1995 Tessman ..... D8/72

- D. 356,722 3/1995 Tessman ..... D8/72
- 4,037,456 7/1977 Jarman ..... 72/325
- 4,988,031 1/1991 Jordan ..... 72/412 X
- 5,967,888 10/1999 Lawhun ..... 269/243 X

*Primary Examiner*—Nanda Bondade  
*Attorney, Agent, or Firm*—Blodgett & Blodgett, P.C.


[57] **CLAIM**

The ornamental design for a clamp, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a clamp showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof; and,  
FIG. 6 is a right side elevational view thereof and the left side elevational view being a mirror image thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6