



US00D430473S

United States Patent [19] Ryu

[11] **Patent Number: Des. 430,473**

[45] **Date of Patent: ** Sep. 5, 2000**

[54] **HAMMER**

[75] Inventor: **Suk-ho Ryu**, Seoul, Rep. of Korea

[73] Assignee: **Wavex Corporation**, Toronto, Canada

[**] Term: **14 Years**

[21] Appl. No.: **29/108,627**

[22] Filed: **Jul. 30, 1999**

| | | | |
|------------|---------|------------------|-------|
| D. 315,483 | 3/1991 | Williamson | D8/78 |
| D. 402,175 | 12/1998 | Sellers | D8/75 |
| 479,032 | 7/1892 | Surbaugh . | |
| 1,341,378 | 5/1920 | McKenzie . | |
| 1,401,896 | 12/1921 | Ehrhart . | |
| 2,155,804 | 4/1939 | Rubin . | |
| 3,216,052 | 11/1965 | Hill . | |
| 5,056,381 | 10/1991 | Carmein | 81/20 |

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Maria Parrish Tungol

Related U.S. Application Data

[63] Continuation-in-part of application No. 29/096,561, Nov. 13, 1998, and a continuation-in-part of application No. 29/096,562, Nov. 13, 1998, and a continuation-in-part of application No. 29/097,362, Dec. 4, 1998, Pat. No. Des. 419,416, and a continuation-in-part of application No. 29/097,363, Dec. 4, 1998.

[51] **LOC (7) Cl.** **08-02**

[52] **U.S. Cl.** **D8/75**

[58] **Field of Search** D8/75, 76, 77,
D8/78, 79, 80, 81; 81/19, 20, 21, 22, 23,
24, 25; 7/143; 16/110 R

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|----------------|-------|
| D. 139,475 | 11/1944 | Laughlin | D8/80 |
| D. 157,883 | 3/1950 | Maxwell | D8/80 |
| D. 182,076 | 2/1958 | MacMinn | D8/77 |
| D. 182,077 | 2/1958 | MacMinn | D8/77 |
| D. 185,675 | 7/1959 | MacMinn | D8/80 |
| D. 288,897 | 3/1987 | Kalberer | D8/80 |
| D. 300,111 | 3/1989 | Square | D8/75 |
| D. 302,515 | 8/1989 | Kandel | D8/75 |


[57] CLAIM

The ornamental design for a hammer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hammer showing the first embodiment of my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan side view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a front elevational view thereof; and
FIG. 7 is a perspective view of a hammer showing a second embodiment of my new design;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a top plan view thereof;
FIG. 10 is a right side elevational view thereof;
FIG. 11 is a rear elevational view thereof; and,
FIG. 12 is a front elevational view thereof.
The left side of each embodiment of the hammer is a mirror image of the right side.

1 Claim, 4 Drawing Sheets






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 9




FIG. 7




FIG. 10




FIG. 11




FIG. 12