



US00D430823S

# United States Patent [19] Nakai

[11] Patent Number: **Des. 430,823**

[45] Date of Patent: **\*\* Sep. 12, 2000**

[54] **BICYCLE**

[75] Inventor: **Keiichi Nakai**, Tokyo, Japan

[73] Assignee: **Plus One Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/105,535**

[22] Filed: **May 27, 1999**

[30] **Foreign Application Priority Data**

Nov. 30, 1998 [JP] Japan ..... 10-34712

[51] **LOC (7) Cl.** ..... **12-11**

[52] **U.S. Cl.** ..... **D12/111**

[58] **Field of Search** ..... D12/110-113;  
280/259, 267, 282, 288.1-288.3, 281.1;  
180/219

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 291,291	8/1987	Voytko et al.	.....	D12/111
D. 400,826	11/1998	Accerenzi	.....	D12/111
D. 401,534	11/1998	Higashihara et al.	.....	D12/111
D. 410,416	6/1999	Huang	.....	D12/111

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Linda Brooks

*Attorney, Agent, or Firm*—Klauber & Jackson

[57] **CLAIM**

The ornamental design for a bicycle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a bicycle including a synthetic resin carrying basket;

FIG. 2 is a right side elevation view of the bicycle of FIG. 1 including a synthetic resin carrying basket, splash guards and chain guard;

FIG. 3 is a top plan view of the bicycle of FIG. 1 including apertures formed in the bottom of the carrying basket;

FIG. 4 is a bottom plan view of the bicycle of FIG. 1 including a chain guard formed from two types of synthetic resin material;

FIG. 5 is a rear elevation view of the bicycle of FIG. 1;

FIG. 6 is a left side elevation view of the bicycle including a chain guard having a partially translucent surface;

FIG. 7 is a front right side perspective view of the bicycle of FIG. 1; and,

FIG. 8 is a rear right side perspective view of the bicycle of FIG. 1;

**1 Claim, 2 Drawing Sheets**



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8

