



US00D431008S

United States Patent [19]

[11] Patent Number: **Des. 431,008**

Drury

[45] Date of Patent: **** Sep. 19, 2000**

[54] **COMBINED TURKEY FRICTION CALL AND CLOCK FACE**

4,897,067 1/1990 Piper 446/207

[76] Inventor: **Mark A. Drury**, 4000 S. Phoenix Rd.,
Columbia, Mo. 65202

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Richard J. Grundstrom

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/053,142**

The ornamental design for combined turkey friction call and clock face, as shown and described.

[22] Filed: **Apr. 15, 1996**

DESCRIPTION

[51] **LOC (7) Cl.** **10-05**

FIG. 1 is a top view of one embodiment of a combined turkey friction call and clock face showing characteristic features of the unique design of the invention.

[52] **U.S. Cl.** **D10/119**

FIG. 2 is a bottom view of another embodiment of a combined turkey friction call and clock face.

[58] **Field of Search** D10/116, 118,
D10/119, 120; 446/178, 179, 180, 181,
189, 204, 205, 206, 207, 208, 209

FIG. 3 is a side view of yet another embodiment of a combined turkey friction call and clock face of this design.

[56] **References Cited**


FIG. 4 is an isometric top view of a combined turkey friction call and clock face of this design; and,

U.S. PATENT DOCUMENTS

FIG. 5 is an isometric bottom view of a combined turkey friction call and clock face.

D. 312,426	11/1990	Batley	D10/116
D. 313,768	1/1991	White, Jr.	D10/119
2,175,006	10/1939	Jilson	446/209
2,880,548	4/1959	Marr	D10/119

1 Claim, 5 Drawing Sheets






FIG.1.




FIG. 2.




FIG. 3.




FIG.4.




FIG. 5.