



US00D431206S

# United States Patent [19]

## Byers

[11] Patent Number: Des. 431,206  
[45] Date of Patent: \*\* Sep. 26, 2000

[54] RECONFIGURABLE DECORATIVE SCULPTURE

[75] Inventor: Thomas L. Byers, Mustang, Okla.

[73] Assignee: Gary Products Group, Inc., Lubbock, Tex.

[\*\*] Term: 14 Years

[21] Appl. No.: 29/105,982

[22] Filed: Jun. 8, 1999

[51] LOC (7) Cl. .... 11-05

[52] U.S. Cl. .... D11/125; D99/27; D11/157

[58] Field of Search .... D11/117, 121, D11/125, 157; D99/27; 362/121, 806; 428/7-9

### [56] References Cited

#### U.S. PATENT DOCUMENTS

- |            |        |                |           |
|------------|--------|----------------|-----------|
| D. 397,956 | 9/1998 | Lee .....      | D11/125 X |
| D. 407,038 | 3/1999 | Atilano .....  | D11/125 X |
| D. 407,039 | 3/1999 | Openiano ..... | D11/125   |
| 1,822,798  | 9/1931 | Carroll .....  | 362/807   |
| 1,869,321  | 7/1932 | Block .....    | 362/807   |
| 4,453,201  | 6/1984 | Prouty .....   | 362/121   |
| 4,523,260  | 6/1985 | Duncan .....   | 363/121   |

Primary Examiner—Dominic Simone  
Attorney, Agent, or Firm—Locke Liddell & Sapp LLP

### [57] CLAIM

The ornamental design for a reconfigurable decorative sculpture, as shown and described.

### DESCRIPTION

FIG. 1 is a front view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 2 is a rear view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 3 is a left side view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 4 is a right side view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 5 is a top view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 6 is a bottom view of the reconfigurable decorative sculpture of the present invention in a display position.

FIG. 7 is a left side view of the reconfigurable decorative sculpture of the present invention in a folded position, the right side view being a mirror image thereof.

FIG. 8 is a front view of the reconfigurable decorative sculpture of the present invention in a folded position.


FIG. 9 is a rear elevation view of the reconfigurable decorative sculpture in a folded position.

FIG. 10 is a top view of the reconfigurable decorative sculpture in a folded position; and,

FIG. 11 is a bottom view of the reconfigurable decorative sculpture in a folded position.

The dashed lines depict lights that may be attached to the reconfigurable decorative sculpture and are not part of the claimed design. Lights and connecting wires are shown in dashed lines in FIG. 1 but only the lights are shown in FIGS. 2–11 for purposes of clarity.

1 Claim, 5 Drawing Sheets




**U.S. Patent**

Sep. 26, 2000

Sheet 1 of 5

**Des. 431,206**




**U.S. Patent**

**Sep. 26, 2000**

**Sheet 2 of 5**

**Des. 431,206**



**U.S. Patent**

Sep. 26, 2000

Sheet 3 of 5

**Des. 431,206**

