



US00D431214S

United States Patent [19]

Allison

[11] Patent Number: Des. 431,214

[45] Date of Patent: ** Sep. 26, 2000

[54] TIRE TREAD

[75] Inventor: William B. Allison, Cuyahoga Falls, Ohio

[73] Assignee: Bridgestone/Firestone Research, Inc., Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 29/112,938

[22] Filed: Oct. 26, 1999

[51] LOC (7) Cl. 12-15

[52] U.S. Cl. D12/146

[58] Field of Search D12/134-152;
152/209.1, 209.8, 209.12, 209.16, 209.28,
902, 903

- D. 340,436 10/1993 Baus D12/146
- D. 342,706 12/1993 Wise D12/147
- D. 354,467 1/1995 Wallet et al. D12/147
- D. 397,649 9/1998 Grosskopf et al. D12/147
- D. 399,798 10/1998 Grosskopf et al. D12/147

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Michael Sand; John M. Vasuta

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a tire tread showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view of the right side thereof; FIG. 4 is a side elevational view of the left side thereof; and, FIG. 5 is an enlarged fragmentary right side perspective view thereof.


The broken lines defining the tire sidewall and inner bead and the peripheral boundary between the tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 261,383 10/1981 Amarger D12/147
- D. 277,092 1/1985 Nagayasu D12/146
- D. 295,617 5/1988 Sedlack D12/147
- D. 302,411 7/1989 Goergen et al. D12/146
- D. 311,885 11/1990 Himuro et al. D12/146
- D. 319,994 9/1991 Manestar et al. D12/147
- D. 328,578 8/1992 Cormier et al. D12/146
- D. 337,978 8/1993 Himuro et al. D12/147






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5