



US00D431449S

United States Patent [19]

Mihailovic

[11] Patent Number: Des. 431,449
[45] Date of Patent: ** Oct. 3, 2000

[54] PULLEY

[75] Inventor: Pierre Mihailovic, Manson, France

[73] Assignee: Wichard, France

[**] Term: 14 Years

[21] Appl. No.: 29/112,312

[22] Filed: Oct. 13, 1999

[30] Foreign Application Priority Data

Apr. 14, 1999 [FR] France 99 2562

[51] LOC (7) Cl. 08-05

[52] U.S. Cl. D8/360

[58] Field of Search D34/28, 33, 35;
D8/360; 254/390, 391, 396, 401, 409; 211/119.04,
119.05

[56] References Cited

U.S. PATENT DOCUMENTS

10,688	3/1854	Webber	254/391
44,016	5/1864	Mallory	254/390
D. 184,346	2/1959	Garland	D8/360
D. 186,279	10/1959	Fox	D8/360
D. 190,960	7/1961	Maeda	D8/360
D. 240,895	8/1976	Werner et al.	D8/360

D. 260,963	9/1981	Merry	D8/360
D. 272,126	1/1984	Pennoyer, Jr.	D8/360
D. 293,881	1/1988	Hartlmeier et al.	D8/360
D. 366,824	2/1996	Moore	D8/360
834,700	10/1906	Abbott	254/391
967,697	8/1910	Williams et al.	254/391
2,778,602	1/1957	Fate, Jr.	254/391
3,733,053	5/1973	Haulotte	254/390
3,806,094	4/1974	Harken	254/396
5,868,380	2/1999	Allen	254/391
5,984,278	11/1999	Hartlmeier	254/409

Primary Examiner—Cynthia E Ramirez
Attorney, Agent, or Firm—Mathews, Collins, Shepherd & Gould, P.A.

[57] CLAIM

The ornamental design for a pulley, as shown and described.

DESCRIPTION

FIG. 1 is a front and side perspective view of a pulley, showing my new design;
FIG. 2 is a front elevational view, the side opposite to that shown in FIG. 2 being the mirror image thereof;
FIG. 3 is a side elevational view thereof, the side opposite to that shown in FIG. 3 being the mirror image thereof;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view.

1 Claim, 5 Drawing Sheets



U.S. Patent

Oct. 3, 2000

Sheet 1 of 5

Des. 431,449



Figure 1

U.S. Patent

Oct. 3, 2000

Sheet 2 of 5

Des. 431,449




Figure 2

U.S. Patent

Oct. 3, 2000

Sheet 3 of 5

Des. 431,449




Figure 3

U.S. Patent

Oct. 3, 2000

Sheet 4 of 5

Des. 431,449




Figure 4

U.S. Patent

Oct. 3, 2000

Sheet 5 of 5

Des. 431,449




Figure 5