



US00D431860S

United States Patent [19]

Milrud et al.

[11] Patent Number: **Des. 431,860**

[45] Date of Patent: **** *Oct. 10, 2000**

[54] **BIDET BODY**

[75] Inventors: **Eduardo Milrud**, Chagrin Falls; **Mark J. Sindelar**, Shaker Heights; **Douglas A. Kemp**, North Ridgeville, all of Ohio

[73] Assignee: **Moen Incorporated**, North Olmsted, Ohio

[*] Notice: This patent is subject to a terminal disclaimer.

[**] Term: **14 Years**

[21] Appl. No.: **29/103,926**

[22] Filed: **Apr. 26, 1999**

[51] **LOC (7) Cl.** **23-02**

[52] **U.S. Cl.** **D23/295; D23/249; D23/233; D23/248**

[58] **Field of Search** **D23/295, 303, D23/308, 270, 273, 274, 284, 242, 241; 4/443-448, 678; 137/801**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------------|-------|---------|
| D. 22,570 | 6/1893 | Winfield | | D23/238 |
| D. 31,090 | 6/1899 | Stover | | D23/295 |
| D. 33,860 | 1/1901 | Glauber | . | |
| D. 39,792 | 1/1909 | Mueller | | D23/238 |
| D. 114,166 | 4/1939 | Andersen et al. | | D23/295 |
| D. 130,833 | 12/1941 | Wahlton | | D23/249 |
| D. 140,557 | 3/1945 | Stanitz | . | |
| D. 281,096 | 10/1985 | Arnold et al. | . | |
| D. 314,812 | 2/1991 | Jans | . | |

| | | | | |
|------------|---------|-------------------|-------|-----------|
| D. 317,971 | 7/1991 | Sauter et al. | . | |
| D. 343,227 | 1/1994 | Dannenberg et al. | . | |
| D. 364,213 | 11/1995 | Dannenberg et al. | . | |
| D. 376,413 | 12/1996 | Kergoet | . | |
| D. 403,049 | 6/1893 | Ohtani et al. | | D23/233 |
| 730,682 | 6/1903 | McGowan | | 137/556.3 |
| 1,103,917 | 7/1914 | Lawson | | 137/556.3 |
| 1,164,840 | 12/1915 | Miller | | 4/421 |

OTHER PUBLICATIONS

Noland Company's Catalog E; p. E36, Valve Nos. 72, 75, 141, 30 and 44; p. E214, Lawn Faucet No. 1180, Self-Closing Faucet No. B-1452; p. E215, Noland Compression Stop and Drain No. 1200, Aug. 1943.

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Gregory Andoll
Attorney, Agent, or Firm—McEachran, Jambor, Keating, Bock & Kurtz

[57] **CLAIM**

The ornamental design for a bidet body, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of our new design for a bidet body;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a left side view, the right side being a mirror image of the left side.

1 Claim, 2 Drawing Sheets




Fig. 1.




Fig. 2.





Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




FIG. 7.