



US00D431868S

United States Patent [19] Hing

[11] Patent Number: Des. 431,868

[45] Date of Patent: ** Oct. 10, 2000

[54] TRUNCATED ANTI-SEISMIC HOUSING STRUCTURE

[76] Inventor: Ally O. Hing, P.O. Box A, Superior, Ariz. 85273

[**] Term: 14 Years

[21] Appl. No.: 29/056,230

[22] Filed: Jun. 18, 1996

[51] LOC (7) Cl. 25-03

[52] U.S. Cl. D25/23

[58] Field of Search D25/1, 16, 17, D25/22, 23, 32; 52/79.5, 80.1, 81.1, 81.5, DIG. 10; 446/478

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 242,546	11/1976	Day et al.	D25/16
D. 295,898	5/1988	Rupp	D25/22
5,209,030	5/1993	Sloditskie et al.	52/79.5

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Frank J. McGue; Warren F. B. Lindsley

[57] **CLAIM**

The ornamental design for a truncated anti-seismic housing structure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and left side of a truncated anti-seismic housing structure and employing the invention;

FIG. 2 is front view of the truncated anti-seismic housing structure shown on FIG. 1;

FIG. 3 is the back view of FIG. 1;


FIG. 4 is the left side view of FIG. 1;

FIG. 5 is the right side view of FIG. 1;

FIG. 6 shows the two-way roof from the top view of the truncated anti-seismic structure of FIG. 1; and,

FIG. 7 is the bottom view of the truncated anti-seismic housing structure of FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.