



US00D431905S

United States Patent [19]
McCormack

[11] **Patent Number: Des. 431,905**

[45] **Date of Patent: ** Oct. 17, 2000**

[54] **WATCH AND JEWELRY CASE**

[76] Inventor: **Corinne McCormack**, 55 E. 87th St.,
New York, N.Y. 10128

[**] Term: **14 Years**

[21] Appl. No.: **29/115,020**

[22] Filed: **Dec. 6, 1999**

[51] **LOC (7) Cl.** **03-01**

[52] **U.S. Cl.** **D3/273**

[58] **Field of Search** D3/201, 206, 229-230,
D3/265, 316, 321, 324, 326, 901, 903,
290, 301, 298, 219; 190/16, 110, 20; 206/446,
823, 5, 6.1, 385, 1.7

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 136,996	1/1944	Blake	D3/290
D. 217,854	6/1970	Wernick et al.	D3/903
D. 259,524	6/1981	Erdman	D3/298
D. 360,795	8/1995	Saunders	D6/601
D. 405,252	2/1999	Au	D3/201
412,870	10/1889	Wolbrecht	190/20
424,603	4/1890	Favor	206/1.7
2,253,212	8/1941	Rathbun	206/6.1
2,310,641	2/1943	Lux	206/6.1
2,410,161	10/1946	Helbein	206/6.1
4,461,383	7/1984	Groff	206/6.1

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Robert A. Delehanty

Attorney, Agent, or Firm—William J. Sapone, Esq.; Nims,
Howes, Collison, Hansen & Lackert

[57] **CLAIM**

The ornamental design for a watch and jewelry case, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the first and second embodiments of a watch and jewelry case;

FIG. 2 is a perspective view of the first embodiment thereof shown in an open position with an elliptically shaped insert;

FIG. 3 is an exploded view of FIG. 2;

FIG. 4 is a perspective view of the second embodiment thereof shown in an open position with a round shaped insert;

FIG. 5 is an exploded view of FIG. 4;

FIG. 6 is a front elevation view of the first and second embodiments thereof;

FIG. 7 is a side elevation view of the first and second embodiments thereof;

FIG. 8 is a top plan view of the first and second embodiments thereof;

FIG. 9 is a bottom plan view of the first and second embodiments thereof;

FIG. 10 is a rear elevation view of the first and second embodiments thereof;

FIG. 11 is a top plan view of the elliptically shaped insert of the first embodiment thereof shown separately for clarity of illustration;

FIG. 12 is a bottom plan view of FIG. 11;

FIG. 13 is a rear elevation view of FIG. 11;

FIG. 14 is a front elevation view of FIG. 11;

FIG. 15 is a side elevation view of FIG. 11, the opposite side being a mirror image thereof;

FIG. 16 is a top plan view of the round shaped insert of the second embodiment thereof shown separately for clarity of illustration;

FIG. 17 is a bottom plan view of FIG. 16;


FIG. 18 is a front elevation view of FIG. 16, the rear view being a mirror image thereof; and,

FIG. 19 is a side elevation view of FIG. 16, the opposite side being a mirror image thereof.

The broken line showing of a watch and necklace in FIGS. 2-5 is for illustrative purposes only and forms no part of the claimed design. The broken lines on the watch and jewelry case are understood to represent stitching.

The fragmentary criss-cross pattern shown on the surface of the watch and jewelry case is understood to represent fabric and is repeated uniformly throughout the areas shown.

1 Claim, 10 Drawing Sheets






FIG. 1





FIG. 2

FIG. 3







FIG. 4

FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19