# **United States Patent** [19] **Sloan**

US00D432045S [11] **Patent Number: Des. 432,045** [45] **Date of Patent: \*\* Oct. 17, 2000** 

#### [54] COMBINED LEATHER ROSE WITH BARBED WIRE STEM AND BOX

[76] Inventor: La Donna Jane Sloan, 1925 County Rd. #23, Colby, Kans. 67701

[\*\*] Term: 14 Years

[21] Appl. No.: **29/100,818** 

[56]

[22] Filed: Feb. 18, 1999

### [57] CLAIM

The ornamental design for a combined leather rose with barbed wire stem and box, as shown.

### DESCRIPTION

FIG. 1 is an exploded front elevational view of the combined leather rose with barbed wire stem and box of the present invention;

FIG. 2 is an exploded back elevational view of the combined leather rose with barbed wire stem and box of FIG. 1;

[51]	LOC (7) Cl	
[52]	U.S. Cl	
[58]	<b>Field of Search</b>	D11/117; D9/336,
		D9/337; 428/24, 26

**References Cited** 

#### U.S. PATENT DOCUMENTS

D. 304,021	10/1989	Shives et al D11/117
D. 315,294	3/1991	Young et al D11/117 X
D. 373,743	9/1996	Bright D11/117
D. 380,673	7/1997	Siripreedabhakd D11/117 X
D. 390,159	2/1998	Benton D11/117 X
1,831,559	11/1931	Ham et al 428/26
3,041,766	7/1962	Decamp 428/24

Primary Examiner—Dominic Simone

FIG. 3 is an exploded left side elevational view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 4 is an exploded right side elevational view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 5 is an exploded top plan view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 6 is an exploded bottom plan view of the combined leather rose with barbed wire stem and box of FIG. 1; and, FIG. 7 is a top, front, right side perspective view of the combined leather rose with barbed wire stem and box of FIG. 1, shown in a full assembled position.

#### 1 Claim, 4 Drawing Sheets



### U.S. Patent Oct. 17, 2000 Sheet 1 of 4 Des. 432,045



FIG. I

-

FIG.6



#### Des. 432,045 **U.S. Patent** Oct. 17, 2000 Sheet 2 of 4



Ļ				

### U.S. Patent Oct. 17, 2000 Sheet 3 of 4 Des. 432,045

## FIG. 7



### U.S. Patent Oct. 17, 2000 Sheet 4 of 4 Des. 432,045





