



US00D432045S

United States Patent [19]

Sloan

[11] Patent Number: Des. 432,045

[45] Date of Patent: ** Oct. 17, 2000

[54] **COMBINED LEATHER ROSE WITH BARBED WIRE STEM AND BOX**

[76] Inventor: **La Donna Jane Sloan**, 1925 County Rd. #23, Colby, Kans. 67701

[**] Term: **14 Years**

[21] Appl. No.: **29/100,818**

[22] Filed: **Feb. 18, 1999**

[51] **LOC (7) Cl.** **11-02**

[52] **U.S. Cl.** **D11/117**

[58] **Field of Search** D11/117; D9/336, D9/337; 428/24, 26

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 304,021	10/1989	Shives et al.	D11/117
D. 315,294	3/1991	Young et al.	D11/117 X
D. 373,743	9/1996	Bright	D11/117
D. 380,673	7/1997	Siripreedabhakd	D11/117 X
D. 390,159	2/1998	Benton	D11/117 X
1,831,559	11/1931	Ham et al.	428/26
3,041,766	7/1962	Decamp	428/24

Primary Examiner—Dominic Simone

[57] **CLAIM**

The ornamental design for a combined leather rose with barbed wire stem and box, as shown.

DESCRIPTION

FIG. 1 is an exploded front elevational view of the combined leather rose with barbed wire stem and box of the present invention;

FIG. 2 is an exploded back elevational view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 3 is an exploded left side elevational view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 4 is an exploded right side elevational view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 5 is an exploded top plan view of the combined leather rose with barbed wire stem and box of FIG. 1;

FIG. 6 is an exploded bottom plan view of the combined leather rose with barbed wire stem and box of FIG. 1; and,

FIG. 7 is a top, front, right side perspective view of the combined leather rose with barbed wire stem and box of FIG. 1, shown in a full assembled position.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 6




FIG. 2




FIG. 5





FIG. 7








FIG. 3

FIG. 4

