



US00D432107S

United States Patent [19]

Isonaga

[11] Patent Number: Des. 432,107

[45] Date of Patent: ** Oct. 17, 2000

[54] **CHARGER FOR WIRELESS TELEPHONE**

[75] Inventor: **Yasuaki Isonaga**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/105,636**

[22] Filed: **May 27, 1999**

[30] **Foreign Application Priority Data**

Nov. 30, 1998	[CN]	China	98 3 05730
Nov. 30, 1998	[CN]	China	98 3 05734

[51] **LOC (7) Cl.** **14-03**

[52] **U.S. Cl.** **D14/149**

[58] **Field of Search** D14/137, 138, D14/141, 148, 147, 149-151, 140-142, 240, 241; 379/433-436, 410, 420, 428, 440; D13/107, 108

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 298,318	11/1988	Doi	D14/141
D. 299,717	2/1989	Fukutome	D14/141
D. 303,386	9/1989	Iino	D14/142
D. 305,025	12/1989	Masaaki	D14/151
D. 316,857	5/1991	Park	D14/138
D. 319,829	9/1991	Wu	D14/151
D. 349,899	8/1994	Siddoway et al.	D14/151
D. 362,001	9/1995	Roegner	D14/151
D. 369,805	5/1996	Kong et al.	D14/151
D. 370,482	6/1996	Kong et al.	D14/151
D. 372,027	7/1996	Tomoike	D14/151
D. 375,935	11/1996	Nagele et al.	D13/108
D. 395,304	6/1998	Mori et al.	D14/144
D. 401,235	11/1998	Fuke et al.	D14/149
D. 408,406	4/1999	Shido	D14/149
D. 409,190	5/1999	Tamura et al.	D14/151
D. 410,922	6/1999	Komiyama	D14/149
D. 412,502	8/1999	Fuke et al.	D14/148
D. 414,181	9/1999	Isonaga	D14/151

OTHER PUBLICATIONS

“Style” (SPP-A900); Sony; Fall/Winter 1998; p. 269.

Primary Examiner—Jeffrey Asch

Attorney, Agent, or Firm—Rader, Fishman & Grauer

[57] **CLAIM**

The ornamental design for a charger for wireless telephone, as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a first embodiment of a charger for a wireless telephone showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof.

FIG. 8 is a perspective view of a second embodiment of a charger for a wireless telephone showing my new design; FIG. 9 is a top plan view of the embodiment thereof; FIG. 10 is a left side elevational view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a right side elevational view thereof; FIG. 13 is a rear elevational view thereof; and FIG. 14 is a bottom plan view thereof.

FIG. 15 is a perspective view of a third embodiment of a charger for a wireless telephone showing my new design; FIG. 16 is a top plan view of the embodiment thereof; FIG. 17 is a left side elevational view thereof; FIG. 18 is a front elevational view thereof; FIG. 19 is a right side elevational view thereof; FIG. 20 is a rear elevational view thereof; and FIG. 21 is a bottom plan view thereof.

FIG. 22 is a perspective view of a fourth embodiment of a charger for a wireless telephone showing my new design; FIG. 23 is a top plan view of the embodiment thereof; FIG. 24 is a left side elevational view thereof; FIG. 25 is a front elevational view thereof; FIG. 26 is a right side elevational view thereof; FIG. 27 is a rear elevational view thereof; and, FIG. 28 is a bottom plan view thereof.

1 Claim, 20 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 21




FIG. 20




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 27




FIG. 26




FIG. 28