



US00D432392S

United States Patent [19]
Miller et al.

[11] **Patent Number:** **Des. 432,392**
[45] **Date of Patent:** **** Oct. 24, 2000**

[54] **WINDOW LOCK**

[75] Inventors: **D. Keith Miller**, Trinity; **Christopher R. Rogers**, Winston Salem; **Farrell Smith**, Sophia, all of N.C.

[73] Assignee: **The Hughes Supply Co. of Thomasville, Inc.**, Thomasville, N.C.

[**] Term: **14 Years**

[21] Appl. No.: **29/107,667**

[22] Filed: **Jul. 8, 1999**

[51] **LOC (7) Cl.** **08-07**

[52] **U.S. Cl.** **D8/337**

[58] **Field of Search** D8/330, 331, 336, D8/337, 339; 70/89, 90; 292/111, 153, 240, 241, DIG. 20, DIG. 33

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 268,643	4/1983	Anderson .	
D. 382,191	8/1997	Plummer	D8/337
D. 386,384	11/1997	Rausch et al.	D8/330
D. 418,737	1/2000	Libby et al.	D8/337
543,226	7/1895	Atwood .	
907,525	12/1908	Rapson .	
1,724,116	8/1929	Swearengin .	
2,768,852	10/1956	Hicks .	
4,061,370	12/1977	Hauber .	
4,475,311	10/1984	Gibson .	
4,553,353	11/1985	Simpson .	
4,578,903	4/1986	Simpson .	
4,622,778	11/1986	Simpson .	
4,669,765	6/1987	Ullman .	
4,790,579	12/1988	Maxwell et al. .	
4,791,756	12/1988	Simpson .	
4,818,000	4/1989	Bobrowski .	
4,824,154	4/1989	Simpson .	

4,901,475	2/1990	Simpson .
5,028,083	7/1991	Mischenko .
5,096,240	3/1992	Schultz .
5,104,165	4/1992	Anderson et al. .
5,139,291	8/1992	Schultz .
5,219,195	6/1993	Lawrence .
5,248,174	9/1993	Matz et al. .
5,251,401	10/1993	Prete et al. .
5,301,989	4/1994	Dallmann et al. .
5,371,971	12/1994	Prete .
5,669,639	9/1997	Lawrence .

FOREIGN PATENT DOCUMENTS

1282044	12/1960	France .
1043863	9/1955	Germany .

Primary Examiner—Alan P. Douglas
Assistant Examiner—Jennifer Rivard



[57] **CLAIM**

The ornamental design for a window lock, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a window lock in a closed configuration embodying our design;
FIG. 2 is a left end elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right end elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top plan view of the window lock as shown in FIG. 1 but in an open posture;
FIG. 8 is a left end elevational view thereof;
FIG. 9 is a rear elevational view thereof;
FIG. 10 is a right end elevational view thereof;
FIG. 11 is a front elevational view thereof; and,
FIG. 12 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 4




FIG. 3




FIG. 5




FIG. 2




FIG. 6




FIG. 1




FIG. 12




FIG. 10




FIG. 9




FIG. 7




FIG. 8




FIG. 11