



US00D432509S

United States Patent [19]

[11] Patent Number: **Des. 432,509**

Webb et al.

[45] Date of Patent: **** Oct. 24, 2000**

[54] PORTABLE RADIO COMMUNICATION DEVICE

[75] Inventors: **William Duncan Webb**, Glenview; **Bradley Keith Lohrding**, Gurnee, both of Ill.; **Richard Enrique Maldonado**, Fountain Hills, Ariz.; **Matthew Ronald Michieli**, Gilbert, Ariz.; **Jay Robert Mitchell**, Mesa, Ariz.; **James Lee Isbell**, Phoenix, Ariz.

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **29/112,095**

[22] Filed: **Oct. 8, 1999**

[51] LOC (7) Cl. **14-03**

[52] U.S. Cl. **D14/138**

[58] Field of Search D14/137, 138, D14/147-148, 247-248, 250, 240, 140-142; 379/433.434, 419, 420, 428, 440; 455/550-575, 90

[56] References Cited

U.S. PATENT DOCUMENTS

D. 353,809	12/1994	Nuovo et al.	D14/138
D. 365,095	12/1995	Kajita	D14/138
D. 372,237	7/1996	Nagele et al.	D14/138
D. 373,764	9/1996	Nagele et al.	D14/138
D. 388,784	1/1998	Phillips et al.	D14/138
D. 393,857	4/1998	Park	D14/138
D. 394,433	5/1998	Lindeman et al.	D14/138
D. 396,230	7/1998	Phillips et al.	D14/138
D. 406,135	2/1999	Nagano et al.	D14/138
D. 409,600	5/1999	Yang et al.	D14/138
D. 411,843	7/1999	Lohrding et al. .	
D. 412,704	8/1999	Vuolteenaho et al.	D14/138
D. 413,884	9/1999	Ogawa	D14/138
D. 415,149	10/1999	Vuolteenaho et al.	D14/138
D. 415,489	10/1999	Ke	D14/138
D. 417,213	11/1999	Meyer	D14/138
D. 421,004	2/2000	Curtis	D14/138
D. 421,005	2/2000	Lucaci et al.	D14/138

D. 421,435	3/2000	Haase et al.	D14/137
5,768,370	6/1998	Maatta et al.	379/433
5,848,152	12/1998	Slipy et al.	379/433
5,909,490	6/1999	Sokolich et al.	379/433
6,006,074	12/1999	De Larminat et al.	455/90

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Lalita P. Williams

[57] CLAIM


The ornamental design for a portable radio communication device, as shown and described.

DESCRIPTION

FIG. 1 is a top, right and front perspective view of the portable radio communication device;
 FIG. 2 is a left side elevational view of the portable radio communication device shown in FIG. 1;
 FIG. 3 is a front elevational view of the portable radio communication device shown in FIG. 1;
 FIG. 4 is a bottom elevational view of the portable radio communication device shown in FIG. 1;
 FIG. 5 is a top elevational view of the portable radio communication device shown in FIG. 1;
 FIG. 6 is a right side elevational view of the portable radio communication device shown in FIG. 1;
 FIG. 7 is a rear elevational view of the portable radio communication device shown in FIG. 1;
 FIG. 8 is a top, right and front perspective view of the portable radio communication device shown in FIG. 1 without the broken line showings;
 FIG. 9 is a left side elevational view of the portable radio communication device shown in FIG. 1 without the broken line showings;
 FIG. 10 is a top elevational view of the portable radio communication device shown in FIG. 1 without the broken line showings; and,
 FIG. 11 is a rear elevational view of the portable radio communication device shown in FIG. 1 without the broken line showings.

The broken line showings in FIGS. 1-7 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 11




FIG. 9