



US00D432555S

United States Patent [19] Mitsui

[11] **Patent Number: Des. 432,555**

[45] **Date of Patent: ** Oct. 24, 2000**

[54] **ILLUMINOMETER**

[75] Inventor: **Sei Mitsui**, Fujiidera, Japan

[73] Assignee: **Minolta Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/104,906**

[22] Filed: **May 13, 1999**

[30] **Foreign Application Priority Data**

Nov. 13, 1998 [JP] Japan 10-32902

[51] **LOC (7) Cl. 16-05**

[52] **U.S. Cl. D16/238**

[58] **Field of Search D10/78; D16/237,
D16/238, 239; 250/214 P; 356/213, 218,
224, 225; 396/213, 268-276**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 258,447	3/1981	Singer	D16/238
D. 259,198	5/1981	Chapman	D16/238
4,364,662	12/1982	Yuasa et al.	356/225
4,636,052	1/1987	Bowsher	396/213

OTHER PUBLICATIONS

Minolta Catalog, "ISO 9001," Sep. 1, 1998.
Kabushiki Kaisha Topcon, "IM-1" and "IM-2D," found at Internet web site <http://www.topcon.co.jp/sangyou10.html> on Oct. 19, 1998.

Tokyo Kodan Kabushiki Kaisha, "ANA-F9," found at Internet web site http://www.edomae.tokyoinfo.or.jp/TKK/1_04.html on Oct. 19, 1998.

Yokogawa M & C Kabushiki Kaisha, "520 05/06," found at Internet web site http://www.yokogawa.co.jp/MCC/env/520_05.html on Oct. 16, 1998.

Primary Examiner—Adir Aronovich
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, LLP

[57] **CLAIM**

The ornamental design for an illuminometer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective of an illuminometer showing my new design;

FIG. 2 is another perspective view of the illuminometer with the operating portion cover shown in an open position;

FIG. 3 is a front view of the illuminometer shown in FIG. 1;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

1 Claim, 5 Drawing Sheets




Fig. 1



Fig. 2



Fig.3




Fig.4



Fig. 5




Fig. 6




Fig. 7




Fig. 8

