



US00D432604S

**United States Patent** [19]  
**Scheiner**

[11] **Patent Number: Des. 432,604**  
[45] **Date of Patent: \*\* Oct. 24, 2000**

[54] **BALL**  
[76] Inventor: **Jonathan Scheiner**, 2180 Wetherly Ct.,  
Upland, Calif. 91784  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **29/100,344**  
[22] Filed: **Feb. 9, 1999**  
[51] **LOC (7) Cl.** ..... **21-02**  
[52] **U.S. Cl.** ..... **D21/714; D21/713**  
[58] **Field of Search** ..... **D21/707, 708,**  
**D21/712-714; 473/52, 125, 280, 451, 569,**  
**598**

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
240,327 4/1881 O'Donnell ..... 473/598  
D. 369,193 4/1996 Imswiler ..... D21/713  
1,097,973 5/1914 Gordon ..... 473/598  
5,607,152 3/1997 Strassburger ..... 473/451

*Primary Examiner*—Lucy Lieberman  
*Assistant Examiner*—Richelle Shelton  
*Attorney, Agent, or Firm*—Foley & Lardner



[57] **CLAIM**  
The ornamental design for a ball, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view showing my design.  
FIG. 2 is a front/right-side view thereof, rotated 45° about  
the vertical axis with respect to FIG. 1.

FIG. 3 is a right-side view thereof, rotated 90° about the  
vertical axis with respect to FIG. 1.  
FIG. 4 is a right-side/rear view thereof, rotated 135° about  
the vertical axis with respect to FIG. 1.  
FIG. 5 is a rear view thereof, rotated 180° about the vertical  
axis with respect to FIG. 1.  
FIG. 6 is a rear/left-side view thereof, rotated 225° about the  
vertical axis with respect to FIG. 1.  
FIG. 7 is a left-side view thereof, rotated 270° about the  
vertical axis with respect to FIG. 1.  
FIG. 8 is a left-side/front view thereof, rotated 315° about  
the vertical axis with respect to FIG. 1.  
FIG. 9 is a top view thereof.  
FIG. 10 is a bottom view thereof.  
FIG. 11 is a front view of a second embodiment;  
FIG. 12 is a front/right-side view thereof, rotated 45° about  
the vertical axis with respect to FIG. 11.  
FIG. 13 is a right-side view thereof, rotated 90° about the  
vertical axis with respect to FIG. 11.  
FIG. 14 is a right-side/rear view thereof, rotated 135° about  
the vertical axis with respect to FIG. 11.  
FIG. 15 is a rear view thereof, rotated 180° about the vertical  
axis with respect to FIG. 11.  
FIG. 16 is a rear/left-side view thereof, rotated 225° about  
the vertical axis with respect to FIG. 11.  
FIG. 17 is a left-side view thereof, rotated 270° about the  
vertical axis with respect to FIG. 11.  
FIG. 18 is a left-side/front view thereof, rotated 315° about  
the vertical axis with respect to FIG. 11.  
FIG. 19 is a top view thereof; and,  
FIG. 20 is a bottom view thereof.

**1 Claim, 20 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20