



US00D432879S

# United States Patent [19]

Loyaute et al.

[11] Patent Number: **Des. 432,879**

[45] Date of Patent: **\*\* Oct. 31, 2000**

[54] **ADJUSTABLE WRENCH**

1,599,162	9/1926	Brown .....	81/165
1,846,380	2/1932	Anderson .....	81/165
5,644,957	7/1997	Gustafson et al. ....	81/165

[75] Inventors: **Patrice Loyaute**, Coubert, France;  
**Oskar Juhlin**, Gustavsberg; **Erik Conny Jansson**, Vasteras, both of Sweden

*Primary Examiner*—Richelle Shelton  
*Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack, L.L.P.

[73] Assignee: **Facom**, Morangis, France

[\*\*] Term: **14 Years**

## [57] CLAIM

[21] Appl. No.: **29/102,962**

The ornamental design for an adjustable wrench, as shown and described.

[22] Filed: **Apr. 5, 1999**

## DESCRIPTION

[30] **Foreign Application Priority Data**

Oct. 6, 1998 [FR] France ..... 985724

FIG. 1 is a front end perspective view of an adjustable wrench in accordance with the present design;

[51] **LOC (7) Cl.** ..... **08-05**

[52] **U.S. Cl.** ..... **D8/22**

FIG. 2 is a left side view thereof;

[58] **Field of Search** ..... D8/21-29; 81/126, 81/165, 170, DIG. 5

FIG. 3 is a rear end perspective view thereof; and,



FIG. 4 is a right side view thereof.

[56] **References Cited**


### U.S. PATENT DOCUMENTS

D. 321,311 11/1991 Toyoshima ..... D8/22


**1 Claim, 2 Drawing Sheets**



**FIG. 1**




**FIG. 2**





**FIG. 3**



**FIG. 4**

