



US00D432930S

**United States Patent** [19]  
**Sanoner**

[11] **Patent Number: Des. 432,930**

[45] **Date of Patent: \*\* Oct. 31, 2000**

[54] **DISTANCE MEASURING DEVICE**

[75] Inventor: **Hughes Marie Sanoner**, Discovery Bay, The Hong Kong Special Administrative Region of the People's Republic of China

[73] Assignee: **Solar Wide Industrial Ltd.**, New Territories, The Hong Kong Special Administrative Region of the People's Republic of China

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/111,768**

[22] Filed: **Oct. 5, 1999**

[51] **LOC (7) Cl.** ..... **10-04**

[52] **U.S. Cl.** ..... **D10/70**

[58] **Field of Search** ..... D10/70; 33/261, 33/285, 286, 700-719; 356/138, 139.03, 141.3, 142, 5.12, 4.05, 5.07, 5.15, 28.5, 5.09; 702/150, 208, 158

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 312,050 11/1990 Singleton ..... D10/70  
D. 409,101 5/1999 Howard et al. .... D10/70

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd.


[57] **CLAIM**

The ornamental design for a distance measuring device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right side and top perspective view of a distance measuring device showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a left side elevational view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7