



US00D432939S

United States Patent [19]
Hooglander

[11] **Patent Number: Des. 432,939**
[45] **Date of Patent: ** Oct. 31, 2000**

[54] **FOLDABLE MEDICAL IDENTIFICATION SYSTEM LOCKET WITH READABLE ELECTRONIC CHIP**

[76] Inventor: **Peter Hooglander**, 270 Iroquois St., Ronkonkoma, N.Y. 11779

[**] Term: **14 Years**

[21] Appl. No.: **29/087,227**

[22] Filed: **Apr. 29, 1998**

[51] **LOC (7) Cl.** **11-01**

[52] **U.S. Cl.** **D11/80**

[58] **Field of Search** D11/79, 80; 63/18, 63/19; 40/661.05, 661.06; D9/423, 424; 206/38, 39.7; D3/203; D14/117

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 156,137	11/1949	Majeska	D11/79
D. 268,328	3/1983	Lovett, Jr.	D9/423 X
354,144	12/1886	Inman	63/19
D. 382,223	8/1997	Harrison	D11/80
925,676	6/1909	Phillips	63/18 X
4,984,683	1/1991	Eller	206/38
5,359,798	11/1994	Pelosi	40/661.06

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor
Attorney, Agent, or Firm—Clark & Brody

[57] **CLAIM**

The ornamental design for a foldable medical identification system locket with readable electronic chip, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a

foldable medical identification system locket with readable electronic chip, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof, the left side view being a mirror image thereto;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a perspective view of the first embodiment in the opened state;
FIG. 8 is a perspective view of a second embodiment showing my new design;
FIG. 9 is a front view corresponding to the second embodiment;
FIG. 10 is rear view corresponding to the second embodiment;
FIG. 11 is a right side view corresponding to the second embodiment, the left side view being a mirror image thereto;
FIG. 12 is a top corresponding to the second embodiment;
FIG. 13 is a bottom view corresponding to the second embodiment;
FIG. 14 is a perspective view of the second embodiment in the opened state;
FIG. 15 is a perspective view of a third embodiment showing my new design;
FIG. 16 is a front view corresponding to the third embodiment;
FIG. 17 is rear view corresponding to the third embodiment;
FIG. 18 is a right side view corresponding to the third embodiment, the left side view being a mirror image thereto;
FIG. 19 is a top corresponding to the third embodiment;
FIG. 20 is a bottom view corresponding to the third embodiment; and,
FIG. 21 is a perspective view of the third embodiment in the opened state.
The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17



FIG. 18



FIG. 19




FIG. 20




FIG. 21

