



US00D432982S

United States Patent [19] Miyashita

[11] Patent Number: Des. 432,982

[45] Date of Patent: ** Oct. 31, 2000

[54] RECHARGEABLE BATTERY

[75] Inventor: Shin Miyashita, Tokyo, Japan

[73] Assignee: Sony Corporation, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/099,985

[22] Filed: Feb. 1, 1999

[51] LOC (7) Cl. 13-02

[52] U.S. Cl. D13/103

[58] Field of Search D13/103; 429/96-100,
429/156, 163, 174

[56] References Cited

U.S. PATENT DOCUMENTS

D. 377,477	1/1997	Harata et al.	D13/103
5,399,446	3/1995	Takahashi	429/97 X
5,415,947	5/1995	Mitsui et al.	429/99 X
5,626,979	5/1997	Mitsui et al.	429/97
5,672,441	9/1997	Aoki et al.	429/97
5,798,906	8/1998	Ando et al.	429/175 X

OTHER PUBLICATIONS

Catalog "Video Accessories", 3 sheets, Sony (Jun. 1997).

Primary Examiner—Joel Sincavage

Attorney, Agent, or Firm—Rader, Fishman&Grauer

[57] CLAIM

The ornamental design for a rechargeable battery, shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a rechargeable battery showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof.

FIG. 8 is a perspective view of a second embodiment of a rechargeable battery showing my new design. FIG. 9 is a top plan view thereof; FIG. 10 is a left side elevational view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a right side elevational view thereof; FIG. 13 is a rear elevational view thereof; and FIG. 14 is a bottom plan view thereof.

FIG. 15 is a perspective view of a third embodiment of a rechargeable battery showing my new design; FIG. 16 is a top plan view thereof; FIG. 17 is a left side elevational view thereof; FIG. 18 is a front elevational view thereof; FIG. 19 is a right side elevational view thereof; FIG. 20 is a rear elevational view thereof; and FIG. 21 is a bottom plan view thereof.

FIG. 22 is a perspective view of a fourth embodiment of a rechargeable battery showing my new design; FIG. 23 is a top plan view thereof; FIG. 24 is a left side elevational view thereof; FIG. 25 is a front elevational view thereof; and FIG. 26 is a right side elevational view thereof.

FIG. 27 is a rear elevational view thereof; and, FIG. 28 is a bottom plan view thereof.

1 Claim, 12 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

