



US00D433047S

United States Patent [19] Reber

[11] **Patent Number: Des. 433,047**

[45] **Date of Patent: ** Oct. 31, 2000**

[54] **VERIFYING FLASH CAMERA**

[75] Inventor: **Frederick J. Reber**, Honeoye Falls, N.Y.

[73] Assignee: **Eastman Kodak Company**, Rochester, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **29/117,761**

[22] Filed: **Jan. 28, 2000**

[51] **LOC (7) Cl.** **16-01**

[52] **U.S. Cl.** **D16/209; D16/211**

[58] **Field of Search** **D16/200-205, D16/208, 209, 211, 217, 218; 396/348-352, 176-178, 535-541**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 358,831 5/1995 Kozu D16/209
- D. 370,924 6/1996 McBride et al. D16/209
- D. 378,594 3/1997 McBride et al. D16/209

- D. 388,105 12/1997 Yamamoto D16/202
- D. 390,587 2/1998 Schelling et al. D16/209
- 5,212,510 5/1993 Baxter 396/349

Primary Examiner—Adir Aronovich
Attorney, Agent, or Firm—Robert Luke Walker



[57] **CLAIM**

The ornamental design for a verifying flash camera, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of front/top/left (flash closed); FIG. 2 is a perspective view of back/top/right (flash closed); FIG. 3 is a front view (flash closed); FIG. 4 is a back view (flash closed); FIG. 5 is a top view (flash closed); FIG. 6 is a bottom view (flash closed); FIG. 7 is a right side view (flash closed); FIG. 8 is a left side view (flash closed); FIG. 9 is a perspective view of front/top/left (flash open, zoom lens partially extended); and, FIG. 10 is a perspective view of back/top/right (flash open)

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10